

**Brealey Room Utilization
Fall 2013**

Fall 2013 - September 3 - December 13, 2013					Standard Post Secondary			Extended Day Mon.-Thurs.		
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
BR	BSEM	240	36	SEMINAR ROOM - Biology	37	49	75.51%	0	8	0.00%
BR	BSEM	244	36	SEMINAR ROOM - Biology	41	49	83.67%	3	8	37.50%
BR	CLAB	321	40	COMPUTER LAB	33	49	67.35%	4	8	50.00%
BR	CLAB	324	35	COMPUTER LAB	46	49	93.88%	5	8	62.50%
BR	CLAB	325	35	COMPUTER LAB	37	49	75.51%	3	8	37.50%
BR	CLAB	3610A	40	COMPUTER LAB	34	49	69.39%	0	8	0.00%
BR	CLAB	3610C	35	COMPUTER LAB	31	49	63.27%	0	8	0.00%
BR	CLAS	204	90	CLASSROOM	41	49	83.67%	0	8	0.00%
BR	CLAS	212	40	MULTI-MEDIA CLASSROOM	44	49	89.80%	0	8	0.00%
BR	CLAS	236	25	MULTI-MEDIA CLASSROOM	30	49	61.22%	4	8	50.00%
BR	CLAS	237	40	MULTI-MEDIA CLASSROOM	44	49	89.80%	4	8	50.00%
BR	CLAS	238	40	MULTI-MEDIA CLASSROOM	42	49	85.71%	0	8	0.00%
BR	CLAS	243	40	MULTI-MEDIA CLASSROOM	42	49	85.71%	0	8	0.00%
BR	CLAS	433	45	MULTI-MEDIA CLASSROOM	42	49	85.71%	0	8	0.00%
BR	CLAS	521	50	MULTI-MEDIA CLASSROOM	45	49	91.84%	0	8	0.00%
BR	CLAS	522	35	MULTI-MEDIA CLASSROOM	46	49	93.88%	0	8	0.00%
BR	CLAS	536	54	MULTI-MEDIA CLASSROOM	40	49	81.63%	1	8	12.50%
BR	CLAS	550	52	MULTI-MEDIA CLASSROOM	43	49	87.76%	0	8	0.00%
BR	CLAS	551	35	MULTI-MEDIA CLASSROOM	45	49	91.84%	0	8	0.00%
BR	CLAS	553	35	MULTI-MEDIA CLASSROOM	43	49	87.76%	0	8	0.00%
BR	CLAS	557	40	MULTI-MEDIA CLASSROOM	43	49	87.76%	2	8	25.00%
BR	CLAS	561	40	MULTI-MEDIA CLASSROOM	45	49	91.84%	0	8	0.00%
BR	CLAS	567	80	MULTI-MEDIA CLASSROOM	44	49	89.80%	2	8	25.00%
BR	CLAS	603	30	MULTI-MEDIA CLASSROOM	38	49	77.55%	0	8	0.00%
BR	CLAS	607	28	MULTI-MEDIA CLASSROOM	39	49	79.59%	0	8	0.00%
BR	CLAS	613	60	Multi Media Room	40	49	81.63%	1	8	12.50%
BR	LAB	175	25	ART CONSERVATION LAB	21	49	42.86%	0	8	0.00%
BR	LAB	207	30	NURSING LAB / MULTI-MEDIA	32	49	65.31%	0	8	0.00%
BR	LAB	234	25	PTA/OTA LAB	24	49	48.98%	0	8	0.00%

**Brealey Room Utilization
Fall 2013**

Fall 2013 - September 3 - December 13, 2013				Standard Post Secondary			Extended Day Mon.-Thurs.			
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
BR	LAB	322	30	CICE Room - Designated 100%	16	49	32.65%	0	8	0.00%
BR	LAB	327	35	FORENSICS LAB	6	49	12.25%	0	8	0.00%
BR	LAB	352	32	HARDWARE LAB	25	49	51.02%	2	8	25.00%
BR	LAB	352B	10	APPLIED PROJECTS LAB	0	49	0.00%	0	8	0.00%
BR	LAB	380	40	COURT ROOM / MULTI-MEDIA L&J	37	49	75.51%	1	8	12.50%
BR	LAB	3605	30	AUTOMATION LAB	0	49	0.00%	0	8	0.00%
BR	LAB	3606B	30	SMART HOUSE	0	49	0.00%	0	8	0.00%
BR	LAB	3610B	30	SMART HOUSE ANNEX	29	49	59.18%	3	8	37.50%
BR	LAB	3611	30	TELECOM LAB	40	49	81.63%	5	8	62.50%
BR	LAB	3615	30	WIN PROGRAM LAB	6	49	12.25%	0	8	0.00%
BR	LAB	3617	30	DISPENSING LAB	38	49	77.55%	0	8	0.00%
BR	LAB	3618A	15	ASEPTIC LAB	0	49	0.00%	0	8	0.00%
BR	LAB	3701A	20	LAB VOLTS	9	49	18.37%	3	8	37.50%
BR	LAB	3701C	30	CONTROLS & INSTRUMENTATION	11	49	22.45%	1	8	12.50%
BR	LAB	3701E	30	MEZZANINE	46	49	93.88%	2	8	25.00%
BR	LAB	3701F	30	FLUID POWER	4	49	8.16%	2	8	25.00%
BR	LAB	5907	35	HARDWARE DIGITAL LAB(H&W Dedicat	14	49	28.58%	0	8	0.00%
BR	LAB	632	30	FULFORDS - RESTAURANT	8	49	16.33%	1	8	12.50%
BR	LAB	635	30	CHEMISTRY LAB	48	49	97.96%	7	8	87.50%
BR	LAB	652	22	FOOD LAB	42	49	85.71%	3	8	37.50%
BR	LECT	3700	150	LECTURE THEATRE/E-PRESENTATION	39	49	79.59%	0	8	0.00%
BR	LECT	374	155	LECTURE THEATRE (AV sets up)	34	49	69.39%	0	8	0.00%
BR	LECT	519	210	LECTURE THEATRE (AV sets up)	38	49	77.55%	0	8	0.00%
BR	MLAB	434	28	MASSAGE THERAPY LAB	12	49	24.49%	0	8	0.00%
BR	MLAB	454	30	MASSAGE THERAPY LAB/CLINIC	19	49	38.78%	4	8	50.00%
BR	PORT	POR1	40	PARAMEDIC LAB	22	49	44.90%	0	8	0.00%
BR	PORT	POR2A	30	ELECTRICAL APPREN NORTH PORTAB	34	49	69.39%	2	8	25.00%
BR	PORT	POR2B	30	ELECTRICAL APPREN SOUTH PORTAB	0	49	0.00%	0	8	0.00%
BR	SEM	232	40	MULTI-MEDIA SEMINAR ROOM	46	49	93.88%	2	8	25.00%

**Brealey Room Utilization
Fall 2013**

Fall 2013 - September 3 - December 13, 2013					Standard Post Secondary			Extended Day Mon.-Thurs.		
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
BR	SEM	241	40	MULTI-MEDIA SEMINAR ROOM	39	49	79.59%	0	8	0.00%
BR	SEM	377	35	MULTI-MEDIA SEMINAR ROOM	39	49	79.59%	0	8	0.00%
BR	SEM	431	50	MULTI-MEDIA SEMINAR ROOM	45	49	91.84%	0	8	0.00%
BR	SEM	432	40	MULTI-MEDIA SEMINAR ROOM (key)	43	49	87.76%	1	8	12.50%
BR	SEM	631	50	MULTI-MEDIA SEMINAR ROOM	45	49	91.84%	0	8	0.00%
BR	SEM	637	60	MULTI-MEDIA SEMINAR ROOM	43	49	87.76%	2	8	25.00%
BR	SMRT	5909	40	SMART ROOM / E-PRESENTATION	42	49	85.71%	0	8	0.00%
BR	SMRT	5915	40	SMART ROOM / E-PRESENTATION	41	49	83.67%	0	8	0.00%
BR	SMRT	5919	40	SMART ROOM / E-PRESENTATION	41	49	83.67%	2	8	25.00%
WE	GYM	1	30	WELLNESS CENTRE	37	43	86.05%	0	8	0.00%

Fall 2013 - FR Room Utilization

Fall 2013 - September 3rd - December 13th						Standard Post Secondary			Extended Post Secondary (Mon-Thurs)		
Building	Pavilion	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
FR	FIELD	FROST	LAB	30	Field House	7	49	14.29%	2	8	25.00%
FR	103	FROST	CLAB	35	COMPUTER LAB	34	49	69.39%	0	8	0.00%
FR	104	FROST	CLAB	35	COMPUTER LAB	22	49	44.90%	0	8	0.00%
FR	109	FROST	CLAS	36	CLASSROOM/SURV/DESKS/CHAIRS	28	49	57.14%	0	8	0.00%
FR	132	FROST	ELAB	30	ET Dedicated Lab	36	49	73.47%	0	8	0.00%
FR	134	FROST	ELAB	30	ET / FT Dedicated Lab	32	49	65.31%	0	8	0.00%
FR	191	FROST	ELAB	30	ET Dedicated Lab	34	49	69.39%	0	8	0.00%
FR	290	FROST	FLAB	36	DENDROLOGY-fixed, sinks	30	49	61.22%	0	8	0.00%
FR	291	FROST	FLAB	48	MENS/FORESTRY/CLS-fixed, sink	27	49	55.10%	0	8	0.00%
FR	158	FROST	FWLB	40	Fish & Wildlife Pathology Lab	24	49	48.98%	0	8	0.00%
FR	159	FROST	FWLB	40	Fish & Wildlife Pathology Lab	22	49	44.90%	0	8	0.00%
FR	332	FROST	GILB	35	GIS COMPUTER	38	49	77.55%	2	8	25.00%
FR	333	FROST	GILB	35	GIS COMPUTER	28	49	57.14%	0	8	0.00%
FR	334	FROST	GILB	35	GIS COMPUTER	36	49	73.47%	1	8	12.50%
FR	121	FROST	GYLB	30	GEOL-FIXED LAB BENCHES/STOOL	16	49	32.65%	0	8	0.00%
FR	122	FROST	GYLB	30	GEOL-FIXED BENCHES-soils-dirty	25	49	51.02%	0	8	0.00%
FR	126	FROST	GYLB	38	GEOLOGY/FIXED LAB BENCHES/STOOLS	21	49	42.86%	0	8	0.00%
FR	131	FROST	LAB	20	Hatchery	12	49	24.49%	0	8	0.00%
FR	190	FROST	LAB	30	CHEMISTRY	35	49	71.43%	4	8	50.00%
FR	232	FROST	LAB	30	LIMNOLOGY/FISHERIES-(max 46)	36	49	73.47%	0	8	0.00%
FR	295	FROST	LAB	30	ENTOMOLOGY/PATHOLOGY	41	49	83.67%	0	8	0.00%
FR	302	FROST	LAB	18	Outside Biodiversity Lab	19	49	38.78%	0	8	0.00%
FR	306	FROST	LAB2	70	Biodiversity Lab	25	49	51.02%	1	8	12.50%
FR	184	FROST	LECT	60	SMALL LECTURE THEATRE	18	49	36.73%	0	8	0.00%
FR	188	FROST	LECT	60	SMALL LECTURE THEATRE	14	49	28.57%	3	8	37.50%
FR	250	FROST	LECT	245	Crombie Lecture Theatre	28	49	57.14%	0	8	0.00%
FR	280	FROST	LECT	156	MEDIUM LECTURE THEATRE	30	49	61.22%	0	8	0.00%
FR	110	FROST	SEM	35	Seminar Room (sink)	34	49	69.39%	0	8	0.00%
FR	127	FROST	SEM	40	Seminar Room (sink)	35	49	71.43%	2	8	25.00%
FR	180	FROST	SEM	35	Seminar Room (ECF/SWF/PWF)	34	49	69.39%	0	8	0.00%
FR	185	FROST	SEM	35	Seminar Room	32	49	65.31%	0	8	0.00%
FR	189	FROST	SEM	35	Seminar Room	32	49	65.31%	0	8	0.00%
FR	209	FROST	SEM	60	Seminar Room	26	49	53.06%	0	8	0.00%
FR	211	FROST	SEM	60	Seminar Room	30	49	61.22%	1	8	12.50%
FR	222	FROST	SEM	35	Seminar Room	33	49	67.35%	0	8	0.00%
FR	294	FROST	SEM	30	Seminar Room	38	49	77.55%	0	8	0.00%

Fall 2013 - FR Room Utilization

Fall 2013 - September 3rd - December 13th						Standard Post Secondary			Extended Post Secondary (Mon-Thurs)		
Building	Pavilion	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
HE		535 FROST	CLAB	20	Computer Lab	0	49	0.00%	0	8	0.00%
HE		517 FROST	CLAS	45	Main Classroom	16	49	32.65%	0	8	0.00%
HE		529 FROST	CLAS	20	Corporate & EPG Classroom	9	49	18.37%	0	8	0.00%
HE		533 FROST	CLAS	40	Upper Level Classroom	10	49	20.41%	0	8	0.00%
HE		514 FROST	LAB	20	Electrical Lab	9	49	18.37%	0	8	0.00%
HE		518 FROST	LAB	20	Power Trains Lab	9	49	18.37%	0	8	0.00%
HE		525 FROST	LAB	20	Engines Lab	9	49	18.37%	0	8	0.00%
HE		528 FROST	LAB	20	Main Shop	3	49	6.12%	0	8	0.00%
HE		531 FROST	LAB	20	AM Lab	0	49	0.00%	0	8	0.00%
HE		532 FROST	LAB	20	Hydraulics Lab	9	49	18.37%	0	8	0.00%
HE		401 FROST	PORT	32	Rented Portable - HEO	41	49	83.67%	0	8	0.00%
LA		402 LAW&ARBOR	FLAB	35	Pest Bldg-metal lab tops	27	49	55.10%	0	8	0.00%
LA		413 LAW&ARBOR	LAB	32	Court Room-Restricted NR Law	19	49	38.78%	0	8	0.00%
LA		411 LAW&ARBOR	SEM	35	Seminar Room (Tree Climbing)	30	49	61.22%	0	8	0.00%
LA		415 LAW&ARBOR	SEM	30	Seminar Room (TLDSB)	25	49	51.02%	0	8	0.00%
RD		603 RESDRILL	CLAS	48	SBL Room	25	49	51.02%	0	8	0.00%
RD		605 RESDRILL	CLAS	42	RES DRILL/PUMPS-fixed, sink	36	49	73.47%	2	8	25.00%
RD		606 RESDRILL	CLAS	60	RES DRILLING-fixed, sink	23	49	46.94%	0	8	0.00%
RD		610 RESDRILL	CLAS	42	RES DRILLING-fixed, sink	43	49	87.76%	7	8	87.50%
RD		600 RESDRILL	LAB	35	Drilling Shop	42	49	85.71%	0	8	0.00%

Fall 2013 - MC Room Utilization

Fall 2013 - September 3rd - December 13th						Standard Post Secondary			Extended Post Secondary (Mon-Thurs)		
Building	Pavilion	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
MC	MCRAE	CLAB	308	25	COMPUTER LAB - Networked	19	49	38.78%	2	8	25.00%
MC	MCRAE	CLAS	303	36	CLASSROOM	26	49	53.06%	0	8	0.00%
MC	MCRAE	CLAS	306	40	CLASSROOM	21	49	42.86%	0	8	0.00%
MC	MCRAE	CLAS	307	45	CLASSROOM	27	49	55.10%	0	8	0.00%
MC	MCRAE	CLAS	310	22	CLASSROOM	22	49	44.90%	0	8	0.00%
MC	MCRAE	CLAS	312	54	CLASSROOM	18	49	36.73%	0	8	0.00%
MC	MCRAE	LAB	101	20	Sustainable Energy Application Room	0	49	0.00%	0	8	0.00%
MC	MCRAE	LAB	200	40	Fuels Lab A	28	49	57.14%	0	8	0.00%
MC	MCRAE	LAB	203	20	Fuels Lab B	28	49	57.14%	0	8	0.00%
MC	MCRAE	LAB	204	22	WELDING SHOP	32	49	65.31%	3	8	37.50%
MC	MCRAE	LAB	205	50	Carpentry Shop	24	49	48.98%	1	8	12.50%
MC	MCRAE	LAB	206	15	Construction Lab	12	49	24.49%	0	8	0.00%
OF	OFF	OF			Off Site Locations/Post Sec	8	8	100.00%	0	8	0.00%
					Off Site Locations/Dual Credit	43	43	100.00%	0	8	0.00%
					*Please note that I've included OFFSITE locations, however I do not know where they are. This does impact the MC usage stats, plus the time put into scheduling.						