

**Brealey Room Utilization
Fall 2011**

Fall 2011 - September 6 to December 16, 2011					Standard Post Secondary			Extended Day (Monday-Thursday)		
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
BR	BSEM	240	36	SEMINAR ROOM - Biology	49	44	89.80%	0	10	0.00%
BR	BSEM	244	36	SEMINAR ROOM - Biology	49	41	83.67%	0	10	0.00%
BR	CLAB	321	40	COMPUTER LAB	49	34	69.39%	2	10	20.00%
BR	CLAB	324	35	COMPUTER LAB	49	44	89.80%	6	10	60.00%
BR	CLAB	325	35	COMPUTER LAB	49	41	83.67%	3	10	30.00%
BR	CLAB	3610A	40	COMPUTER LAB	49	39	79.59%	1	10	10.00%
BR	CLAB	3610C	35	COMPUTER LAB	49	42	85.71%	1	10	10.00%
BR	CLAS	204	90	CLASSROOM	49	46	93.88%	3	10	30.00%
BR	CLAS	212	40	MULTI-MEDIA CLASSROOM	49	47	95.92%	3	10	30.00%
BR	CLAS	236	25	MULTI-MEDIA CLASSROOM	49	45	91.84%	7	10	70.00%
BR	CLAS	237	40	MULTI-MEDIA CLASSROOM	49	47	95.92%	6	10	60.00%
BR	CLAS	238	40	MULTI-MEDIA CLASSROOM	49	47	95.92%	2	10	20.00%
BR	CLAS	243	40	MULTI-MEDIA CLASSROOM	49	48	97.96%	2	10	20.00%
BR	CLAS	3615	40	MULTI-MEDIA CLASSROOM	49	45	91.84%	1	10	10.00%
BR	CLAS	433	45	MULTI-MEDIA CLASSROOM	49	46	93.88%	0	10	0.00%
BR	CLAS	521	50	MULTI-MEDIA CLASSROOM	49	45	91.84%	8	10	80.00%
BR	CLAS	522	35	MULTI-MEDIA CLASSROOM	49	42	85.71%	1	10	10.00%
BR	CLAS	536	54	MULTI-MEDIA CLASSROOM	49	48	97.96%	1	10	10.00%
BR	CLAS	550	52	MULTI-MEDIA CLASSROOM	49	49	100.00%	4	10	40.00%
BR	CLAS	551	35	MULTI-MEDIA CLASSROOM	49	48	97.96%	1	10	10.00%
BR	CLAS	553	35	MULTI-MEDIA CLASSROOM	49	46	93.88%	2	10	20.00%
BR	CLAS	557	40	MULTI-MEDIA CLASSROOM	49	50	102.04%	3	10	30.00%
BR	CLAS	561	40	MULTI-MEDIA CLASSROOM	49	47	95.92%	6	10	60.00%
BR	CLAS	567	80	MULTI-MEDIA CLASSROOM	49	46	93.88%	0	10	0.00%
BR	CLAS	603	30	MULTI-MEDIA CLASSROOM	49	48	97.96%	3	10	30.00%
BR	CLAS	607	28	MULTI-MEDIA CLASSROOM	49	40	81.63%	4	10	40.00%
BR	CLAS	613	60	Multi Media Room	49	45	91.84%	2	10	20.00%
WE	GYM	1	30	WELLNESS CENTRE	49	46	93.88%	0	10	0.00%
BR	LAB	175	25	ART CONSERVATION LAB	49	21	42.86%	0	10	0.00%
BR	LAB	207	30	NURSING LAB / MULTI-MEDIA	49	24	48.98%	1	10	10.00%
BR	LAB	234	25	PTA/OTA LAB	49	30	61.22%	0	10	0.00%
BR	LAB	322	30	CICE Room	49	15	30.61%	0	10	0.00%
BR	LAB	327	35	FORENSICS LAB	49	9	18.37%	0	10	0.00%

**Brealey Room Utilization
Fall 2011**

Fall 2011 - September 6 to December 16, 2011				Standard Post Secondary			Extended Day (Monday-Thursday)			
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
BR	LAB	352	32	HARDWARE LAB	49	33	67.35%	0	10	0.00%
BR	LAB	352B	10	APPLIED PROJECTS LAB	49	0	0.00%	0	10	0.00%
BR	LAB	3605	30	AUTOMATION LAB	49	0	0.00%	0	10	0.00%
BR	LAB	3606B	30	SMART HOUSE	49	2	4.08%	0	10	0.00%
BR	LAB	3610B	30	SMART HOUSE ANNEX	49	17	34.69%	0	10	0.00%
BR	LAB	3611	30	TELECOM LAB	49	28	57.14%	0	10	0.00%
BR	LAB	3617	30	DISPENSING LAB	49	8	16.33%	0	10	0.00%
BR	LAB	3618A	15	ASEPTIC LAB	49	0	0.00%	0	10	0.00%
BR	LAB	3701A	20	LAB VOLTS	49	12	24.49%	0	10	0.00%
BR	LAB	3701C	30	CONTROLS & INSTRUMENTATION	49	3	6.12%	0	10	0.00%
BR	LAB	3701E	30	MEZZANINE	49	32	65.31%	1	10	10.00%
BR	LAB	3701F	30	FLUID POWER	49	5	10.20%	0	10	0.00%
BR	LAB	380	40	COURT ROOM / MULTI-MEDIA L&J	49	42	85.71%	2	10	20.00%
BR	LAB	5907	35	HARDWARE DIGITAL LAB(H&W Dedicat	49	25	51.02%	0	10	0.00%
BR	LAB	634	30	FULFORDS - RESTAURANT	49	13	26.53%	0	10	0.00%
BR	LAB	635	30	CHEMISTRY LAB	49	50	102.04%	8	10	80.00%
BR	LAB	652	22	FOOD LAB	49	44	89.80%	3	10	30.00%
BR	LECT	3700	150	LECTURE THEATRE/E-PRESENTATION	49	37	75.51%	0	10	0.00%
BR	LECT	374	155	LECTURE THEATRE (AV sets up)	49	37	75.51%	0	10	0.00%
BR	LECT	519	210	LECTURE THEATRE (AV sets up)	49	38	77.55%	0	10	0.00%
BR	MLAB	434	28	MASSAGE THERAPY LAB	49	22	44.90%	0	10	0.00%
BR	MLAB	454	30	MASSAGE THERAPY LAB/CLINIC	49	32	65.31%	8	10	80.00%
BR	PORT	POR1	40	PARAMEDIC LAB	49	23	46.94%	0	10	0.00%
BR	PORT	POR2A	30	ELECTRICAL APPREN NORTH PORTAB	49	31	63.27%	0	10	0.00%
BR	PORT	POR2B	30	ELECTRICAL APPREN SOUTH PORTAB	49	13	26.53%	2	10	20.00%
BR	SEM	232	40	MULTI-MEDIA SEMINAR ROOM	49	48	97.96%	5	10	50.00%
BR	SEM	241	40	MULTI-MEDIA SEMINAR ROOM	49	44	89.80%	3	10	30.00%
BR	SEM	431	50	MULTI-MEDIA SEMINAR ROOM	49	46	93.88%	2	10	20.00%
BR	SEM	432	40	MULTI-MEDIA SEMINAR ROOM (key)	49	47	95.92%	2	10	20.00%
BR	SEM	631	50	MULTI-MEDIA SEMINAR ROOM	49	45	91.84%	0	10	0.00%
BR	SEM	637	60	MULTI-MEDIA SEMINAR ROOM	49	44	89.80%	0	10	0.00%
BR	SMRT	5909	40	SMART ROOM / E-PRESENTATION	49	46	93.88%	0	10	0.00%
BR	SMRT	5915	40	SMART ROOM / E-PRESENTATION	49	48	97.96%	3	10	30.00%
BR	SMRT	5919	40	SMART ROOM / E-PRESENTATION	49	44	89.80%	4	10	40.00%

**Frost Room Utilization
Fall 2011**

Fall 2011 - September 6 - December 16, 2011					Standard Post Secondary			Extended Day (Monday-Thursday)		
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
FR	LAB	FIELD	30	Field House	5	49	10.20%	2	8	25.00%
FR	CLAB	103	35	COMPUTER LAB	33	49	67.35%	6	8	75.00%
FR	CLAB	104	35	COMPUTER LAB	30	49	61.22%	5	8	62.50%
FR	CLAS	109	36	CLASSROOM/SURV/DESKS/CHAIRS	34	49	69.39%	0	8	0.00%
FR	ELAB	132	30	ET Dedicated Lab	40	49	81.63%	4	8	50.00%
FR	ELAB	134	30	ET / FT Dedicated Lab	31	49	63.27%	0	8	0.00%
FR	ELAB	191	30	ET Dedicated Lab	25	49	51.02%	4	8	50.00%
FR	ELAB	194	30	ET Project Room	49	49	100.00%	8	8	100.00%
FR	FLAB	290	36	DENDROLOGY-fixed, sinks	35	49	71.43%	0	8	0.00%
FR	FLAB	291	48	MENS/FORESTRY/CLS-fixed, sink	35	49	71.43%	1	8	12.50%
FR	FWLB	158	40	Fish & Wildlife Pathology Lab	35	49	71.43%	3	8	37.50%
FR	FWLB	159	40	Fish & Wildlife Pathology Lab	29	49	59.18%	1	8	12.50%
FR	GILB	332	35	GIS COMPUTER	35	49	71.43%	0	8	0.00%
FR	GILB	333	35	GIS COMPUTER	36	49	73.47%	0	8	0.00%
FR	GILB	334	35	GIS COMPUTER	33	49	67.35%	2	8	25.00%
FR	GYLB	121	30	GEOL-FIXED LAB BENCHS/STOOL	13	49	26.53%	0	8	0.00%
FR	GYLB	122	30	GEOL-FIXED BENCHES-soils-dirty	15	49	30.61%	0	8	0.00%
FR	GYLB	126	38	GEOLOGY/FIXED LAB BENCHES/STOOLS	23	49	46.94%	0	8	0.00%
FR	LAB	190	30	CHEMISTRY	38	49	77.55%	6	8	75.00%
FR	LAB	232	30	LIMNOLOGY/FISHERIES-(max 46)	30	49	61.22%	4	8	50.00%
FR	LAB	295	30	ENTOMOLOGY/PATHOLOGY	45	49	91.84%	0	8	0.00%
FR	LAB	302	18	Outside Biodiversity Lab	22	49	44.90%	0	8	0.00%
FR	LAB	101B	20	PSW - Restricted Space	5	49	10.20%	0	8	0.00%
FR	LAB2	306	70	Biodiversity Lab	27	49	55.10%	3	8	37.50%
FR	LECT	184	60	SMALL LECTURE THEATRE	35	49	71.43%	0	8	0.00%
FR	LECT	188	60	SMALL LECTURE THEATRE	22	49	44.90%	0	8	0.00%
FR	LECT	250	245	Crombie Lecture Theatre	35	49	71.43%	1	8	12.50%
FR	LECT	280	156	MEDIUM LECTURE THEATRE	39	49	79.59%	0	8	0.00%
FR	SEM	110	35	Seminar Room (sink)	36	49	73.47%	0	8	0.00%
FR	SEM	127	40	Seminar Room (sink)	36	49	73.47%	1	8	12.50%
FR	SEM	180	35	Seminar Room (ECF/SWF/PWF)	40	49	81.63%	1	8	12.50%
FR	SEM	185	35	Seminar Room	29	49	59.18%	0	8	0.00%
FR	SEM	189	35	Seminar Room	36	49	73.47%	1	8	12.50%
FR	SEM	209	60	Seminar Room	35	49	71.43%	5	8	62.50%
FR	SEM	211	60	Seminar Room	37	49	75.51%	2	8	25.00%

**Frost Room Utilization
Fall 2011**

Fall 2011 - September 6 - December 16, 2011				Standard Post Secondary			Extended Day (Monday-Thursday)			
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
FR	SEM	222	35	Seminar Room	41	49	83.67%	2	8	25.00%
FR	SEM	294	30	Seminar Room	44	49	89.80%	6	8	75.00%
HE	CLAB	535	20	Computer Lab	1	49	2.04%	0	8	0.00%
HE	CLAS	517	45	Main Classroom	17	49	34.69%	0	8	0.00%
HE	CLAS	529	20	Corporate & EPG Classroom	10	49	20.41%	0	8	0.00%
HE	CLAS	533	40	Upper Level Classroom	10	49	20.41%	0	8	0.00%
HE	LAB	514	20	Electrical Lab	10	49	20.41%	0	8	0.00%
HE	LAB	518	20	Power Trains Lab	10	49	20.41%	0	8	0.00%
HE	LAB	525	20	Engines Lab	10	49	20.41%	0	8	0.00%
HE	LAB	528	20	Main Shop	4	49	8.16%	0	8	0.00%
HE	LAB	531	20	AM Lab	1	49	2.04%	0	8	0.00%
HE	LAB	532	20	Hydraulics Lab	10	49	20.41%	0	8	0.00%
HE	PORT	401	32	Rented Portable - HEO	42	49	85.71%	0	8	0.00%
HE	PORT	402	25	Rented Portable - AM	1	49	2.04%	0	8	0.00%
LA	FLAB	402	35	Pest Bldg-metal lab tops	34	49	69.39%	0	8	0.00%
LA	LAB	413	32	Court Room-Restricted NR Law	34	49	69.39%	0	8	0.00%
LA	SEM	411	35	Seminar Room (Tree Climbing)	33	49	67.35%	0	8	0.00%
LA	SEM	415	30	Seminar Room	30	49	61.22%	0	8	0.00%
RD	CLAS	603	48	SBL Room	28	49	57.14%	0	8	0.00%
RD	CLAS	605	42	RES DRILL/PUMPS-fixed, sink	34	49	69.39%	2	8	25.00%
RD	CLAS	606	60	RES DRILLING-fixed, sink	18	49	36.73%	2	8	25.00%
RD	CLAS	610	42	RES DRILLING-fixed, sink	47	49	95.92%	0	8	0.00%
RD	LAB	600	35	Drilling Shop	49	49	100.00%	0	8	0.00%

**McRae Room Utilization
Fall 2011**

Fall 2011 - September 6 - December 16, 2011					Standard Post Secondary			Extended Day (Monday-Thursday)		
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
MC	CLAB	308	24	COMPUTER LAB - Networked	42	49	85.71%	0	8	0.00%
MC	CLAS	303	28	CLASSROOM	23	49	46.94%	0	8	0.00%
MC	CLAS	306	45	CLASSROOM	33	49	67.35%	1	8	12.50%
MC	CLAS	307	40	CLASSROOM	31	49	63.27%	0	8	0.00%
MC	CLAS	310	20	CLASSROOM	18	49	36.73%	0	8	0.00%
MC	CLAS	312	48	CLASSROOM	28	49	57.14%	0	8	0.00%
MC	LAB	200	20	Oil Lab	8	49	16.33%	0	8	0.00%
MC	LAB	202	20	GAS LAB	2	49	4.08%	0	8	0.00%
MC	LAB	204	20	WELDING SHOP	43	49	87.76%	3	8	37.50%
MC	LAB	211	20	Machine Shop	0	49	0.00%	0	8	0.00%
MC	LAB	220	20	Masonry	9	49	18.37%	0	8	0.00%
MC	LAB	205A	10	Sustainability Lab	4	49	8.16%	0	8	0.00%
MC	LCAR	205N	20	Carpentry Shop North	32	49	65.31%	0	8	0.00%
MC	LCAR	205S	20	Carpentry Shop South	19	49	38.78%	0	8	0.00%
MC	LCON	203E	20	Construction Lab East	15	49	30.61%	0	8	0.00%
MC	LCON	203W	20	Construction Lab West	10	49	20.41%	0	8	0.00%
MC	SEM	201	20	Seminar Room	0	49	0.00%	0	8	0.00%