

**Brealey Room Utilization  
Fall 2012**

	A	B	C	D	E	F	G	H	I	J	K	
1	Fall 2012 - September 4 to December 14, 2012					Standard Post Secondary			Extended Day Mon.-Thurs.			
2	Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm Used)	(%	6pm - 8pm Periods Used)	(# of 6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
3	BR	BSEM	240	36	SEMINAR ROOM - Biology	40	49	81.63%		0	10	0.00%
4	BR	BSEM	244	36	SEMINAR ROOM - Biology	39	49	79.59%		0	10	0.00%
5	BR	CLAB	321	40	COMPUTER LAB	44	49	89.80%		1	10	10.00%
6	BR	CLAB	324	35	COMPUTER LAB	37	49	75.51%		2	10	20.00%
7	BR	CLAB	325	35	COMPUTER LAB	40	49	81.63%		1	10	10.00%
8	BR	CLAB	3610A	40	COMPUTER LAB	40	49	81.63%		0	10	0.00%
9	BR	CLAB	3610C	35	COMPUTER LAB	36	49	73.47%		0	10	0.00%
10	BR	CLAS	204	90	CLASSROOM	41	49	83.67%		0	10	0.00%
11	BR	CLAS	212	40	MULTI-MEDIA CLASSROOM	46	49	93.88%		1	10	10.00%
12	BR	CLAS	236	25	MULTI-MEDIA CLASSROOM	42	49	85.71%		3	10	30.00%
13	BR	CLAS	237	40	MULTI-MEDIA CLASSROOM	47	49	95.92%		4	10	40.00%
14	BR	CLAS	238	40	MULTI-MEDIA CLASSROOM	46	49	93.88%		0	10	0.00%
15	BR	CLAS	243	40	MULTI-MEDIA CLASSROOM	45	49	91.84%		2	10	20.00%
16	BR	CLAS	433	45	MULTI-MEDIA CLASSROOM	45	49	91.84%		0	10	0.00%
17	BR	CLAS	521	50	MULTI-MEDIA CLASSROOM	40	49	81.63%		0	10	0.00%
18	BR	CLAS	522	35	MULTI-MEDIA CLASSROOM	42	49	85.71%		6	10	60.00%
19	BR	CLAS	536	54	MULTI-MEDIA CLASSROOM	45	49	91.84%		1	10	10.00%
20	BR	CLAS	550	52	MULTI-MEDIA CLASSROOM	44	49	89.80%		1	10	10.00%
21	BR	CLAS	551	35	MULTI-MEDIA CLASSROOM	42	49	85.71%		0	10	0.00%
22	BR	CLAS	553	35	MULTI-MEDIA CLASSROOM	43	49	87.76%		0	10	0.00%
23	BR	CLAS	557	40	MULTI-MEDIA CLASSROOM	42	49	85.71%		3	10	30.00%
24	BR	CLAS	561	40	MULTI-MEDIA CLASSROOM	44	49	89.80%		0	10	0.00%
25	BR	CLAS	567	80	MULTI-MEDIA CLASSROOM	42	49	85.71%		0	10	0.00%
26	BR	CLAS	603	30	MULTI-MEDIA CLASSROOM	40	49	81.63%		6	10	60.00%
27	BR	CLAS	607	28	MULTI-MEDIA CLASSROOM	41	49	83.67%		0	10	0.00%
28	BR	CLAS	613	60	Multi Media Room	43	49	87.76%		0	10	0.00%
29	BR	LAB	175	25	ART CONSERVATION LAB	21	49	42.86%		0	10	0.00%
30	BR	LAB	207	30	NURSING LAB / MULTI-MEDIA	22	49	44.90%		0	10	0.00%
31	BR	LAB	234	25	PTA/OTA LAB	26	49	53.06%		0	10	0.00%
32	BR	LAB	322	30	CICE Room - Designated 100%	16	49	32.65%		0	10	0.00%
33	BR	LAB	327	35	FORENSICS LAB	0	49	0.00%		0	10	0.00%
34	BR	LAB	352	32	HARDWARE LAB	38	49	77.55%		4	10	40.00%
35	BR	LAB	352B	10	APPLIED PROJECTS LAB	0	49	0.00%		0	10	0.00%
36	BR	LAB	380	40	COURT ROOM / MULTI-MEDIA L&J	32	49	65.31%		0	10	0.00%

**Brealey Room Utilization  
Fall 2012**

	A	B	C	D	E	F	G	H	I	J	K	
1	Fall 2012 - September 4 to December 14, 2012					Standard Post Secondary			Extended Day Mon.-Thurs.			
2	Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm Used)	(%	6pm - 8pm Periods Used)	(# of 6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
37	BR	LAB	3605	30	AUTOMATION LAB	0	49	0.00%		0	10	0.00%
38	BR	LAB	3606B	30	SMART HOUSE	2	49	4.08%		0	10	0.00%
39	BR	LAB	3610B	30	SMART HOUSE ANNEX	16	49	32.65%		0	10	0.00%
40	BR	LAB	3611	30	TELECOM LAB	29	49	59.18%		0	10	0.00%
41	BR	LAB	3615	30	WIN PROGRAM LAB	8	49	16.33%		0	10	0.00%
42	BR	LAB	3617	30	DISPENSING LAB	33	49	67.35%		0	10	0.00%
43	BR	LAB	3618A	15	ASEPTIC LAB	0	49	0.00%		0	10	0.00%
44	BR	LAB	3701A	20	LAB VOLTS	10	49	20.41%		0	10	0.00%
45	BR	LAB	3701C	30	CONTROLS & INSTRUMENTATION	12	49	24.49%		0	10	0.00%
46	BR	LAB	3701E	30	MEZZANINE	44	49	89.80%		6	10	60.00%
47	BR	LAB	3701F	30	FLUID POWER	6	49	12.25%		0	10	0.00%
48	BR	LAB	5907	35	HARDWARE DIGITAL LAB(H&W Dedicat	24	49	48.98%		0	10	0.00%
49	BR	LAB	634	30	FULFORDS - RESTAURANT	8	49	16.33%		2	10	20.00%
50	BR	LAB	635	30	CHEMISTRY LAB	49	49	100.00%		8	10	80.00%
51	BR	LAB	652	22	FOOD LAB	46	49	93.88%		8	10	80.00%
52	BR	LECT	3700	150	LECTURE THEATRE/E-PRESENTATION	36	49	73.47%		0	10	0.00%
53	BR	LECT	374	155	LECTURE THEATRE (AV sets up)	39	49	79.59%		0	10	0.00%
54	BR	LECT	519	210	LECTURE THEATRE (AV sets up)	40	49	81.63%		0	10	0.00%
55	BR	MLAB	434	28	MASSAGE THERAPY LAB	18	49	36.74%		0	10	0.00%
56	BR	MLAB	454	30	MASSAGE THERAPY LAB/CLINIC	48	49	97.96%		10	10	100.00%
57	BR	PORT	POR1	40	PARAMEDIC LAB	16	49	32.65%		0	10	0.00%
58	BR	PORT	POR2A	30	ELECTRICAL APPREN NORTH PORTABL	42	49	85.71%		7	10	70.00%
59	BR	PORT	POR2B	30	ELECTRICAL APPREN SOUTH PORTABL	0	49	0.00%		2	10	20.00%
60	BR	SEM	232	40	MULTI-MEDIA SEMINAR ROOM	45	49	91.84%		4	10	40.00%
61	BR	SEM	241	40	MULTI-MEDIA SEMINAR ROOM	40	49	81.63%		2	10	20.00%
62	BR	SEM	377	35	MULTI-MEDIA SEMINAR ROOM	43	49	87.76%		0	10	0.00%
63	BR	SEM	431	50	MULTI-MEDIA SEMINAR ROOM	42	49	85.71%		0	10	0.00%
64	BR	SEM	432	40	MULTI-MEDIA SEMINAR ROOM (key)	44	49	89.80%		2	10	20.00%
65	BR	SEM	631	50	MULTI-MEDIA SEMINAR ROOM	45	49	91.84%		1	10	10.00%
66	BR	SEM	637	60	MULTI-MEDIA SEMINAR ROOM	41	49	83.67%		2	10	20.00%
67	BR	SMRT	5909	40	SMART ROOM / E-PRESENTATION	40	49	81.63%		0	10	0.00%
68	BR	SMRT	5915	40	SMART ROOM / E-PRESENTATION	39	49	79.59%		0	10	0.00%
69	BR	SMRT	5919	40	SMART ROOM / E-PRESENTATION	43	49	87.76%		0	10	0.00%
70	WE	GYM	1	30	WELLNESS CENTRE	41	49	83.67%		0	10	0.00%

**Frost Room Utilization  
Fall 2012**

	A	B	C	D	E	F	G	H	I	J	K
1	Fall 2012 - September 4th - December 14th				Standard Post Secondary			Extended Post Secondary (Mon-Thurs)			
2	Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
3	FH	LAB	FIELD	30	Field House	8	49	16.33%	2	8	25.00%
4	FR	CLAB	103	35	COMPUTER LAB	33	49	67.35%	0	8	0.00%
5	FR	CLAB	104	35	COMPUTER LAB	32	49	65.31%	0	8	0.00%
6	FR	CLAS	109	36	CLASSROOM/SURV/DESKS/CHAIRS	17	49	34.69%	0	8	0.00%
7	FR	ELAB	132	30	ET Dedicated Lab	36	49	73.47%	4	8	50.00%
8	FR	ELAB	134	30	ET / FT Dedicated Lab	28	49	57.14%	4	8	50.00%
9	FR	ELAB	191	30	ET Dedicated Lab	40	49	81.63%	4	8	50.00%
10	FR	ELAB	194	30	ET Project Room	49	49	100.00%	8	8	100.00%
11	FR	FLAB	290	36	DENDROLOGY-fixed, sinks	27	49	55.10%	0	8	0.00%
12	FR	FLAB	291	48	MENS/FORESTRY/CLS-fixed, sink	27	49	55.10%	0	8	0.00%
13	FR	FWLB	158	40	Fish & Wildlife Pathology Lab	27	49	55.10%	1	8	12.50%
14	FR	FWLB	159	40	Fish & Wildlife Pathology Lab	22	49	44.90%	2	8	25.00%
15	FR	GILB	332	35	GIS COMPUTER	35	49	71.43%	0	8	0.00%
16	FR	GILB	333	35	GIS COMPUTER	36	49	73.47%	0	8	0.00%
17	FR	GILB	334	35	GIS COMPUTER	26	49	53.06%	0	8	0.00%
18	FR	GYLB	121	30	GEOL-FIXED LAB BENCHS/STOOL	13	49	26.53%	0	8	0.00%
19	FR	GYLB	122	30	GEOL-FIXED BENCHES-soils-dirty	16	49	32.65%	0	8	0.00%
20	FR	GYLB	126	38	GEOLOGY/FIXED LAB BENCHES/STOOLS	15	49	30.61%	0	8	0.00%
21	FR	LAB	190	30	CHEMISTRY	36	49	73.47%	3	8	37.50%
22	FR	LAB	232	30	LIMNOLOGY/FISHERIES-(max 46)	32	49	65.31%	1	8	12.50%
23	FR	LAB	295	30	ENTOMOLOGY/PATHOLOGY	37	49	75.51%	1	8	12.50%
24	FR	LAB	302	18	Outside Biodiversity Lab	22	49	44.90%	2	8	25.00%
25	FR	LAB	101B	35	Centre for Success Homeroom	32	49	65.31%	0	8	0.00%
26	FR	LAB2	306	70	Biodiversity Lab	22	49	44.90%	2	8	25.00%
27	FR	LECT	184	60	SMALL LECTURE THEATRE	27	49	55.10%	0	8	0.00%
28	FR	LECT	188	60	SMALL LECTURE THEATRE	20	49	40.82%	0	8	0.00%
29	FR	LECT	250	245	Crombie Lecture Theatre	30	49	61.22%	0	8	0.00%
30	FR	LECT	280	156	MEDIUM LECTURE THEATRE	26	49	53.06%	0	8	0.00%
31	FR	SEM	110	35	Seminar Room (sink)	33	49	67.35%	0	8	0.00%
32	FR	SEM	127	40	Seminar Room (sink)	21	49	42.86%	0	8	0.00%
33	FR	SEM	180	35	Seminar Room (ECF/SWF/PWF)	34	49	69.39%	2	8	25.00%
34	FR	SEM	185	35	Seminar Room	25	49	51.02%	1	8	12.50%
35	FR	SEM	189	35	Seminar Room	32	49	65.31%	0	8	0.00%

**Frost Room Utilization  
Fall 2012**

	A	B	C	D	E	F	G	H	I	J	K
1	Fall 2012 - September 4th - December 14th				Standard Post Secondary			Extended Post Secondary (Mon-Thurs)			
2	Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
36	FR	SEM	209	60	Seminar Room	24	49	48.98%	2	8	25.00%
37	FR	SEM	211	60	Seminar Room	26	49	53.06%	1	8	12.50%
38	FR	SEM	222	35	Seminar Room	33	49	67.35%	0	8	0.00%
39	FR	SEM	294	30	Seminar Room	37	49	75.51%	0	8	0.00%
40	HE	CLAB	535	20	Computer Lab	0	49	0.00%	0	8	0.00%
41	HE	CLAS	517	45	Main Classroom	20	49	40.82%	0	8	0.00%
42	HE	CLAS	529	20	Corporate & EPG Classroom	9	49	18.37%	0	8	0.00%
43	HE	CLAS	533	40	Upper Level Classroom	8	49	16.33%	0	8	0.00%
44	HE	LAB	514	20	Electrical Lab	9	49	18.37%	0	8	0.00%
45	HE	LAB	518	20	Power Trains Lab	9	49	18.37%	0	8	0.00%
46	HE	LAB	525	20	Engines Lab	9	49	18.37%	0	8	0.00%
47	HE	LAB	528	20	Main Shop	3	49	6.12%	0	8	0.00%
48	HE	LAB	531	20	AM Lab	0	49	0.00%	0	8	0.00%
49	HE	LAB	532	20	Hydraulics Lab	9	49	18.37%	0	8	0.00%
50	HE	PORT	401	32	Rented Portable - HEO	40	49	81.63%	0	8	0.00%
51	LA	FLAB	402	35	Pest Bldg-metal lab tops	30	49	61.22%	1	8	12.50%
52	LA	LAB	413	32	Court Room-Restricted NR Law	17	49	34.69%	2	8	25.00%
53	LA	SEM	411	35	Seminar Room (Tree Climbing)	24	49	48.98%	0	8	0.00%
54	LA	SEM	415	30	Seminar Room	13	49	26.53%	0	8	0.00%
55	RD	CLAS	603	48	SBL Room	23	49	46.94%	0	8	0.00%
56	RD	CLAS	605	42	RES DRILL/PUMPS-fixed, sink	21	49	42.86%	6	8	75.00%
57	RD	CLAS	606	60	RES DRILLING-fixed, sink	27	49	55.10%	1	8	12.50%
58	RD	CLAS	610	42	RES DRILLING-fixed, sink	33	49	67.35%	0	8	0.00%
59	RD	LAB	600	35	Drilling Shop	49	49	100.00%	0	8	0.00%

**McRae Room Utilization  
Fall 2012**

	A	B	C	D	E	F	G	H	I	J	K	
1	Fall 2012 - September 4th - December 14th				Standard Post Secondary				Extended Post Secondary (Mon-Thurs)			
2	Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)	
3	MC	CLAB	308	25	COMPUTER LAB - Networked	31	49	63.27%	1	8	12.50%	
4	MC	CLAS	303	36	CLASSROOM	22	49	44.90%	0	8	0.00%	
5	MC	CLAS	306	40	CLASSROOM	27	49	55.10%	0	8	0.00%	
6	MC	CLAS	307	45	CLASSROOM	26	49	53.06%	0	8	0.00%	
7	MC	CLAS	310	22	CLASSROOM (being used for storage)	49	49	100.00%	0	8	0.00%	
8	MC	CLAS	312	54	CLASSROOM	25	49	51.02%	0	8	0.00%	
9	MC	LAB	200	20	Oil Lab	15	49	30.61%	0	8	0.00%	
10	MC	LAB	202	20	GAS LAB	15	49	30.61%	0	8	0.00%	
11	MC	LAB	204	22	WELDING SHOP	31	49	63.27%	0	8	0.00%	
12	MC	LAB	206	15	To Be Confirmed	0	49	0.00%	0	8	0.00%	
13	MC	LAB	220	20	Masonry	9	49	18.37%	0	8	0.00%	
14	MC	LCAR	205N	20	Carpentry Shop North	27	49	55.10%	0	8	0.00%	
15	MC	LCAR	205S	20	Carpentry Shop South	24	49	48.98%	0	8	0.00%	
16	MC	LCON	203E	20	Construction Lab East	4	49	8.16%	0	8	0.00%	
17	MC	LCON	203W	20	Construction Lab West	1	49	2.04%	0	8	0.00%	
18	MC	SEM	201	20	Seminar Room	8	49	16.33%	0	8	0.00%	
19	OF				Off Site Locations	113	113	100.00%	0	8	0.00%	
20												
21					*Please note that I've included OFFSITE locations, however I do not know where they are. This does impact the MC usage stats, plus the time put into scheduling.							