

Brealey Campus

Winter 2012 - January 9 to April 20, 2012					Standard Post Secondary			Extended Day Mon.-Thurs.		
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
BR	BSEM	240	36	SEMINAR ROOM - Biology	40	49	80.00%	2	8	25.00%
BR	BSEM	244	36	SEMINAR ROOM - Biology	40	49	80.00%	0	8	0.00%
BR	CLAB	321	40	COMPUTER LAB	39	49	78.00%	3	8	37.50%
BR	CLAB	324	35	COMPUTER LAB	45	49	90.00%	3	8	37.50%
BR	CLAB	325	35	COMPUTER LAB	41	49	82.00%	1	8	12.50%
BR	CLAB	3610A	40	COMPUTER LAB	42	49	84.00%	1	8	12.50%
BR	CLAB	3610C	35	COMPUTER LAB	37	49	74.00%	1	8	12.50%
BR	CLAS	204	90	CLASSROOM	44	49	88.00%	1	8	12.50%
BR	CLAS	212	40	MULTI-MEDIA CLASSROOM	47	49	94.00%	4	8	50.00%
BR	CLAS	236	25	MULTI-MEDIA CLASSROOM	43	49	86.00%	1	8	12.50%
BR	CLAS	237	40	MULTI-MEDIA CLASSROOM	44	49	88.00%	4	8	50.00%
BR	CLAS	238	40	MULTI-MEDIA CLASSROOM	45	49	90.00%	0	8	0.00%
BR	CLAS	243	40	MULTI-MEDIA CLASSROOM	46	49	92.00%	0	8	0.00%
BR	CLAS	3615	40	MULTI-MEDIA CLASSROOM	REMOVED	FOR	6TH SEMESTER	PROJECT		
BR	CLAS	433	45	MULTI-MEDIA CLASSROOM	41	49	82.00%	1	8	12.50%
BR	CLAS	521	50	MULTI-MEDIA CLASSROOM	46	49	92.00%	1	8	12.50%
BR	CLAS	522	35	MULTI-MEDIA CLASSROOM	47	49	94.00%	1	8	12.50%
BR	CLAS	536	54	MULTI-MEDIA CLASSROOM	46	49	92.00%	0	8	0.00%
BR	CLAS	550	52	MULTI-MEDIA CLASSROOM	44	49	88.00%	1	8	12.50%
BR	CLAS	551	35	MULTI-MEDIA CLASSROOM	46	49	92.00%	0	8	0.00%
BR	CLAS	553	35	MULTI-MEDIA CLASSROOM	46	49	92.00%	0	8	0.00%
BR	CLAS	557	40	MULTI-MEDIA CLASSROOM	47	49	94.00%	3	8	37.50%
BR	CLAS	561	40	MULTI-MEDIA CLASSROOM	43	49	86.00%	2	8	25.00%
BR	CLAS	567	80	MULTI-MEDIA CLASSROOM	45	49	90.00%	0	8	0.00%
BR	CLAS	603	30	MULTI-MEDIA CLASSROOM	43	49	86.00%	0	8	0.00%
BR	CLAS	607	28	MULTI-MEDIA CLASSROOM	39	49	78.00%	2	8	25.00%
BR	CLAS	613	60	Multi Media Room	43	49	86.00%	3	8	37.50%
WE	GYM	1	30	WELLNESS CENTRE	49	49	98.00%	0	8	0.00%
BR	LAB	175	25	ART CONSERVATION LAB	21	49	42.00%	0	8	0.00%
BR	LAB	207	30	NURSING LAB / MULTI-MEDIA	37	49	74.00%	1	8	12.50%
BR	LAB	234	25	PTA/OTA LAB	28	49	56.00%	0	8	0.00%
BR	LAB	322	30	CICE Room - Designated 100%	8	49	16.00%	0	8	0.00%
BR	LAB	327	35	FORENSICS LAB	18	49	36.00%	0	8	0.00%
BR	LAB	352	32	HARDWARE LAB	13	49	26.00%	0	8	0.00%
BR	LAB	352B	10	APPLIED PROJECTS LAB	0	49	0.00%	0	8	0.00%
BR	LAB	3605	30	AUTOMATION LAB	0	49	0.00%	0	8	0.00%
BR	LAB	3606B	30	SMART HOUSE	3	49	6.00%	0	8	0.00%
BR	LAB	3610B	30	SMART HOUSE ANNEX	9	49	18.00%	0	8	0.00%
BR	LAB	3611	30	TELECOM LAB	22	49	44.00%	0	8	0.00%
BR	LAB	3617	30	DISPENSING LAB	21	49	42.00%	0	8	0.00%
BR	LAB	3618A	15	ASEPTIC LAB	0	49	0.00%	0	8	0.00%
BR	LAB	3701A	20	LAB VOLTS	25	49	50.00%	0	8	0.00%
BR	LAB	3701C	30	CONTROLS & INSTRUMENTATION	26	49	52.00%	0	8	0.00%

## Brealey Campus

Winter 2012 - January 9 to April 20, 2012					Standard Post Secondary			Extended Day Mon.-Thurs.		
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
BR	LAB	3701E	30	MEZZANINE	41	49	82.00%	10	8	125.00%
BR	LAB	3701F	30	FLUID POWER	8	49	16.00%	0	8	0.00%
BR	LAB	380	40	COURT ROOM / MULTI-MEDIA L&J	38	49	76.00%	0	8	0.00%
BR	LAB	5907	35	HARDWARE DIGITAL LAB(H&W Dedicat	33	49	66.00%	0	8	0.00%
BR	LAB	634	30	FULFORDS - RESTAURANT	0	49	0.00%	0	8	0.00%
BR	LAB	635	30	CHEMISTRY LAB	48	49	96.00%	6	8	75.00%
BR	LAB	652	22	FOOD LAB	28	49	56.00%	2	8	25.00%
BR	LECT	3700	150	LECTURE THEATRE/E-PRESENTATION	31	49	62.00%	0	8	0.00%
BR	LECT	374	155	LECTURE THEATRE (AV sets up)	25	49	50.00%	0	8	0.00%
BR	LECT	519	210	LECTURE THEATRE (AV sets up)	28	49	56.00%	0	8	0.00%
BR	MLAB	434	28	MASSAGE THERAPY LAB	16	49	32.00%	0	8	0.00%
BR	MLAB	454	30	MASSAGE THERAPY LAB/CLINIC	24	49	48.00%	8	8	100.00%
BR	PORT	POR1	40	PARAMEDIC LAB	16	49	32.00%	0	8	0.00%
BR	PORT	POR2A	30	ELECTRICAL APPREN NORTH PORTABLE	14	49	28.00%	0	8	0.00%
BR	PORT	POR2B	30	ELECTRICAL APPREN SOUTH PORTABLE	17	49	34.00%	2	8	25.00%
BR	SEM	232	40	MULTI-MEDIA SEMINAR ROOM	45	49	90.00%	4	8	50.00%
BR	SEM	241	40	MULTI-MEDIA SEMINAR ROOM	42	49	84.00%	0	8	0.00%
BR	SEM	377	35	MULTI-MEDIA SEMINAR ROOM	44	49	88.00%	4	8	50.00%
BR	SEM	431	50	MULTI-MEDIA SEMINAR ROOM	40	49	80.00%	0	8	0.00%
BR	SEM	432	40	MULTI-MEDIA SEMINAR ROOM (key)	43	49	86.00%	0	8	0.00%
BR	SEM	631	50	MULTI-MEDIA SEMINAR ROOM	43	49	86.00%	2	8	25.00%
BR	SEM	637	60	MULTI-MEDIA SEMINAR ROOM	44	49	88.00%	0	8	0.00%
BR	SMRT	5909	40	SMART ROOM / E-PRESENTATION	46	49	92.00%	0	8	0.00%
BR	SMRT	5915	40	SMART ROOM / E-PRESENTATION	44	49	88.00%	0	8	0.00%
BR	SMRT	5919	40	SMART ROOM / E-PRESENTATION	42	49	84.00%	3	8	37.50%

## Frost Campus

Winter 12 - January 9th - April 20th					Standard Post Secondary			Extended Post Secondary (Mon-Thurs)		
Room					8am - 6pm	8am - 6pm	8am - 6pm	6pm - 8pm	6pm - 8pm	6pm - 8pm
Building	Pavilion	Type	Room Capacity	Description	(# of Periods Used)	(Total # of Periods)	(% Used)	(# of Periods Used)	(Total # of Periods)	(% Used)
FH	FROST	LAB	FIELD	30 Field House	4	49	8.16%	2	8	25.00%
FR	FROST	CLAB	103	35 COMPUTER LAB	45	49	91.84%	5	8	62.50%
FR	FROST	CLAB	104	35 COMPUTER LAB	44	49	89.80%	6	8	75.00%
FR	FROST	CLAS	109	36 CLASSROOM/SURV/DESKS/CHAIRS	33	49	67.35%	0	8	0.00%
FR	FROST	ELAB	132	30 ETN/Y Dedicated Space	44	49	89.80%	0	4	0.00%
FR	FROST	ELAB	134	30 FIRE SCI-moveable, sink	37	49	75.51%	0	8	0.00%
FR	FROST	ELAB	191	30 ET Dedicated Lab	40	49	81.63%	0	8	0.00%
FR	FROST	ELAB	194	30 ET Project Room	40	49	81.63%	0	8	0.00%
FR	FROST	FLAB	290	36 DENDROLOGY-fixed, sinks	34	49	69.39%	0	8	0.00%
FR	FROST	FLAB	291	48 MENS/FORESTRY/CLS-fixed, sink	29	49	59.18%	1	8	12.50%
FR	FROST	FWLB	158	40 Fish & Wildlife Lab (Wildlife)	21	49	42.86%	3	8	37.50%
FR	FROST	FWLB	159	40 Fish & Wildlife Lab (Pathology)	25	49	51.02%	2	8	25.00%
FR	FROST	GILB	332	35 GIS COMPUTER	38	49	77.55%	2	8	25.00%
FR	FROST	GILB	333	35 GIS COMPUTER	37	49	75.51%	3	8	37.50%
FR	FROST	GILB	334	35 GIS COMPUTER	29	49	59.18%	3	8	37.50%
FR	FROST	GYLB	121	30 GEOL-FIXED LAB BENCHS/STOOL (30	19	49	38.78%	0	8	0.00%
FR	FROST	GYLB	122	30 GEOL-FIXED BENCHES-soils-dirty	29	49	59.18%	0	8	0.00%
FR	FROST	GYLB	126	38 GEOLOGY/FIXED LAB BENCHES/STO	28	49	57.14%	0	8	0.00%
FR	FROST	LAB	190	30 CHEMISTRY	20	49	40.82%	3	8	37.50%
FR	FROST	LAB	232	30 LIMNOLOGY/FISHERIES-(max 46)	23	49	46.94%	2	8	25.00%
FR	FROST	LAB	295	30 ENTOMOLOGY/PATHOLOGY	18	49	36.73%	1	8	12.50%
FR	FROST	LAB	302	18 Outside Biodiversity Lab	3	49	6.12%	0	8	0.00%
FR	FROST	LAB	101B	20 PSW - Restricted Space	8	49	16.33%	0	8	0.00%
FR	FROST	LAB2	306	70 Biodiversity Lab/COMPUTER LAB	42	49	85.71%	6	8	75.00%
FR	FROST	LECT	184	60 SMALL LECTURE THEATRE	26	49	53.06%	0	8	0.00%
FR	FROST	LECT	188	60 SMALL LECT THEATRE	31	49	63.27%	0	8	0.00%
FR	FROST	LECT	250	245 LARGE LECTURE THEATRE	32	49	65.31%	1	8	12.50%
FR	FROST	LECT	280	156 MEDIUM LECTURE THEATRE	32	49	65.31%	0	8	0.00%
FR	FROST	SEM	110	35 Seminar Room (sink)	30	49	61.22%	2	8	25.00%
FR	FROST	SEM	127	40 Seminar Room (sink)	36	49	73.47%	0	8	0.00%
FR	FROST	SEM	180	35 Seminar Room ECF/SWF/PWF	29	49	59.18%	0	8	0.00%
FR	FROST	SEM	185	35 Seminar Room	31	49	63.27%	0	8	0.00%
FR	FROST	SEM	189	35 Seminar Room	32	49	65.31%	0	8	0.00%
FR	FROST	SEM	209	60 Seminar Room	38	49	77.55%	0	8	0.00%
FR	FROST	SEM	211	60 Seminar Room	36	49	73.47%	3	8	37.50%
FR	FROST	SEM	222	35 Seminar Room	37	49	75.51%	3	8	37.50%
FR	FROST	SEM	294	30 Seminar Room (Dedicated to SAG)	43	49	87.76%	7	8	87.50%
HE	FROST	CLAB	535	20 Computer Lab	0	49	0.00%	0	8	0.00%
HE	FROST	CLAS	517	60 Main Classroom	18	49	36.73%	0	8	0.00%
HE	FROST	CLAS	529	20 Corporate & EPG Classroom	27	49	55.10%	0	8	0.00%

## Frost Campus

Winter 12 - January 9th - April 20th					Standard Post Secondary			Extended Post Secondary (Mon-Thurs)		
Room					8am - 6pm	8am - 6pm	8am - 6pm	6pm - 8pm	6pm - 8pm	6pm - 8pm
Building	Pavilion	Type	Room Capacity	Description	(# of Periods Used)	(Total # of Periods)	(% Used)	(# of Periods Used)	(Total # of Periods)	(% Used)
HE	FROST	CLAS	533	40 Upper Level Classroom/Simulator	13	49	26.53%	0	8	0.00%
HE	FROST	LAB	514	20 Electrical Lab	11	49	22.45%	0	8	0.00%
HE	FROST	LAB	518	20 Power Trains Lab	9	49	18.37%	0	8	0.00%
HE	FROST	LAB	525	20 Engines Lab	9	49	18.37%	0	8	0.00%
HE	FROST	LAB	528	20 Main Shop	3	49	6.12%	0	8	0.00%
HE	FROST	LAB	531	20 AM Lab	0	49	0.00%	0	8	0.00%
HE	FROST	LAB	532	20 Hydraulics Lab	9	49	18.37%	0	8	0.00%
HE	FROST	PORT	401	32 Rented Portable - HEO	41	49	83.67%	0	8	0.00%
HE	FROST	PORT	402	25 Rented Portable - AM	0	49	0.00%	0	8	0.00%
LA	LAW&A	FLAB	402	35 Pest Bldg-metal lab tops	24	49	48.98%	0	8	0.00%
LA	LAW&A	LAB	413	36 Court Room-Restricted NR Law	29	49	59.18%	0	8	0.00%
LA	LAW&A	SEM	411	35 CLASSROOM-moveable	24	49	48.98%	0	8	0.00%
LA	LAW&A	SEM	415	30 Seminar Room (Brock Highschool)	49	49	100.00%	0	8	0.00%
RD	RESDRIL	CLAS	603	48 SBL Dedicated Room	20	49	40.82%	0	8	0.00%
RD	RESDRIL	CLAS	605	42 RES DRILL/PUMPS-fixed, sink	14	49	28.57%	0	8	0.00%
RD	RESDRIL	CLAS	606	60 RES DRILLING-fixed, sink	24	49	48.98%	1	8	12.50%
RD	RESDRIL	CLAS	610	42 RES DRILLING-fixed, sink	23	49	46.94%	0	8	0.00%
RD	RESDRIL	LAB	600	30 Drilling Shop	33	49	67.35%	0	8	0.00%

McRae Campus

Winter 12 - January 9th - April 20th					Standard Post Secondary			Extended Post Secondary (Mon-Thurs)		
Room					8am - 6pm	8am - 6pm	8am - 6pm	6pm - 8pm	6pm - 8pm	6pm - 8pm
Building	Pavilion	Type	Room Capacity	Description	(# of Periods Used)	(Total # of Periods)	(% Used)	(# of Periods Used)	(Total # of Periods)	(% Used)
MC	MCRAE	CLAB	308	25 COMPUTER LAB - Networked	22	49	44.90%	0	8	0.00%
MC	MCRAE	CLAS	303	36 CLASSROOM	8	49	16.33%	0	8	0.00%
MC	MCRAE	CLAS	306	40 CLASSROOM	20	49	40.82%	0	8	0.00%
MC	MCRAE	CLAS	307	45 CLASSROOM	18	49	36.73%	0	8	0.00%
MC	MCRAE	CLAS	310	22 CLASSROOM	9	49	18.37%	0	8	0.00%
MC	MCRAE	CLAS	312	54 CLASSROOM	25	49	51.02%	0	8	0.00%
MC	MCRAE	LAB	200	20 Oil Lab	13	49	26.53%	0	8	0.00%
MC	MCRAE	LAB	202	20 GAS LAB	5	49	10.20%	0	8	0.00%
MC	MCRAE	LAB	204	22 WELDING SHOP	38	49	77.55%	4	8	50.00%
MC	MCRAE	LAB	220	20 Masonry	8	49	16.33%	0	8	0.00%
MC	MCRAE	LAB	205A	10 Sustainability Housing	0	49	0.00%	0	8	0.00%
MC	MCRAE	LCAR	205N	20 Carpentry Shop North	14	49	28.57%	0	8	0.00%
MC	MCRAE	LCAR	205S	20 Carpentry Shop South	12	49	24.49%	0	8	0.00%
MC	MCRAE	LCON	203E	20 Construction Lab East	18	49	36.73%	0	8	0.00%
MC	MCRAE	LCON	203W	20 Construction Lab West	16	49	32.65%	0	8	0.00%
MC	MCRAE	SEM	201	20 Seminar Room	7	49	14.29%	0	8	0.00%