

**Brealey Room Utilization
Winter 2013**

Winter 2013 - January 7 to April 19, 2013					Standard Post Secondary			Extended Day Mon.-Thurs.		
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
BR	BSEM	240	36	SEMINAR ROOM - Biology	42	49	85.71%	0	8	0.00%
BR	BSEM	244	36	SEMINAR ROOM - Biology	38	49	77.55%	0	8	0.00%
BR	CLAB	321	40	COMPUTER LAB	35	49	71.43%	0	8	0.00%
BR	CLAB	324	35	COMPUTER LAB	39	49	79.59%	0	8	0.00%
BR	CLAB	325	35	COMPUTER LAB	36	49	73.47%	0	8	0.00%
BR	CLAB	3610A	40	COMPUTER LAB	35	49	71.43%	0	8	0.00%
BR	CLAB	3610C	35	COMPUTER LAB	33	49	67.35%	0	8	0.00%
BR	CLAS	204	90	CLASSROOM	39	49	79.59%	0	8	0.00%
BR	CLAS	212	40	MULTI-MEDIA CLASSROOM	45	49	91.84%	2	8	25.00%
BR	CLAS	236	25	MULTI-MEDIA CLASSROOM	45	49	91.84%	1	8	12.50%
BR	CLAS	237	40	MULTI-MEDIA CLASSROOM	46	49	93.88%	0	8	0.00%
BR	CLAS	238	40	MULTI-MEDIA CLASSROOM	42	49	85.71%	0	8	0.00%
BR	CLAS	243	40	MULTI-MEDIA CLASSROOM	44	49	89.80%	0	8	0.00%
BR	CLAS	433	45	MULTI-MEDIA CLASSROOM	45	49	91.84%	2	8	25.00%
BR	CLAS	521	50	MULTI-MEDIA CLASSROOM	45	49	91.84%	0	8	0.00%
BR	CLAS	522	35	MULTI-MEDIA CLASSROOM	40	49	81.63%	0	8	0.00%
BR	CLAS	536	54	MULTI-MEDIA CLASSROOM	42	49	85.71%	5	8	62.50%
BR	CLAS	550	52	MULTI-MEDIA CLASSROOM	40	49	81.63%	1	8	12.50%
BR	CLAS	551	35	MULTI-MEDIA CLASSROOM	40	49	81.63%	0	8	0.00%
BR	CLAS	553	35	MULTI-MEDIA CLASSROOM	45	49	91.84%	0	8	0.00%
BR	CLAS	557	40	MULTI-MEDIA CLASSROOM	43	49	87.76%	2	8	25.00%
BR	CLAS	561	40	MULTI-MEDIA CLASSROOM	46	49	93.88%	0	8	0.00%
BR	CLAS	567	80	MULTI-MEDIA CLASSROOM	40	49	81.63%	0	8	0.00%
BR	CLAS	603	30	MULTI-MEDIA CLASSROOM	42	49	85.71%	0	8	0.00%
BR	CLAS	607	28	MULTI-MEDIA CLASSROOM	42	49	85.71%	2	8	25.00%
BR	CLAS	613	60	Multi Media Room	40	49	81.63%	0	8	0.00%
BR	LAB	175	25	ART CONSERVATION LAB	21	49	42.86%	0	8	0.00%
BR	LAB	207	30	NURSING LAB / MULTI-MEDIA	37	49	75.51%	1	8	12.50%
BR	LAB	234	25	PTA/OTA LAB	29	49	59.18%	0	8	0.00%
BR	LAB	322	30	CICE Room - Designated 100%	18	49	36.74%	0	8	0.00%
BR	LAB	327	35	FORENSICS LAB	12	49	24.49%	0	8	0.00%
BR	LAB	352	32	HARDWARE LAB	22	49	44.90%	1	8	12.50%
BR	LAB	352B	10	APPLIED PROJECTS LAB	0	49	0.00%	0	8	0.00%
BR	LAB	380	40	COURT ROOM / MULTI-MEDIA L&J	37	49	75.51%	3	8	37.50%

**Brealey Room Utilization
Winter 2013**

Winter 2013 - January 7 to April 19, 2013					Standard Post Secondary			Extended Day Mon.-Thurs.		
Building	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
BR	LAB	3605	30	AUTOMATION LAB	0	49	0.00%	0	8	0.00%
BR	LAB	3606B	30	SMART HOUSE	3	49	6.12%	0	8	0.00%
BR	LAB	3610B	30	SMART HOUSE ANNEX	19	49	38.78%	0	8	0.00%
BR	LAB	3611	30	TELECOM LAB	32	49	65.31%	0	8	0.00%
BR	LAB	3615	30	WIN PROGRAM LAB	8	49	16.33%	0	8	0.00%
BR	LAB	3617	30	DISPENSING LAB	36	49	73.47%	1	8	12.50%
BR	LAB	3618A	15	ASEPTIC LAB	8	49	16.33%	0	8	0.00%
BR	LAB	3701A	20	LAB VOLTS	35	49	71.43%	1	8	12.50%
BR	LAB	3701C	30	CONTROLS & INSTRUMENTATION	22	49	44.90%	6	8	75.00%
BR	LAB	3701E	30	MEZZANINE	34	49	69.39%	5	8	62.50%
BR	LAB	3701F	30	FLUID POWER	25	49	51.02%	1	8	12.50%
BR	LAB	5907	35	HARDWARE DIGITAL LAB(H&W Dedicat	31	49	63.27%	0	8	0.00%
BR	LAB	632	30	FULFORDS - RESTAURANT	0	49	0.00%	0	8	0.00%
BR	LAB	635	30	CHEMISTRY LAB	45	49	91.84%	8	8	100.00%
BR	LAB	652	22	FOOD LAB	27	49	55.10%	1	8	12.50%
BR	LECT	3700	150	LECTURE THEATRE/E-PRESENTATION	33	49	67.35%	0	8	0.00%
BR	LECT	374	155	LECTURE THEATRE (AV sets up)	27	49	55.10%	0	8	0.00%
BR	LECT	519	210	LECTURE THEATRE (AV sets up)	24	49	48.98%	0	8	0.00%
BR	MLAB	434	28	MASSAGE THERAPY LAB	15	49	30.61%	0	8	0.00%
BR	MLAB	454	30	MASSAGE THERAPY LAB/CLINIC	18	49	36.73%	8	8	100.00%
BR	PORT	POR1	40	PARAMEDIC LAB	12	49	24.49%	0	8	0.00%
BR	PORT	POR2A	30	ELECTRICAL APPREN NORTH PORTAB	16	49	32.65%	4	8	50.00%
BR	PORT	POR2B	30	ELECTRICAL APPREN SOUTH PORTAB	6	49	12.25%	2	8	25.00%
BR	SEM	232	40	MULTI-MEDIA SEMINAR ROOM	46	49	93.88%	1	8	12.50%
BR	SEM	241	40	MULTI-MEDIA SEMINAR ROOM	42	49	85.71%	0	8	0.00%
BR	SEM	377	35	MULTI-MEDIA SEMINAR ROOM	46	49	93.88%	2	8	25.00%
BR	SEM	431	50	MULTI-MEDIA SEMINAR ROOM	41	49	83.67%	0	8	0.00%
BR	SEM	432	40	MULTI-MEDIA SEMINAR ROOM (key)	44	49	89.80%	2	8	25.00%
BR	SEM	631	50	MULTI-MEDIA SEMINAR ROOM	44	49	89.80%	4	8	50.00%
BR	SEM	637	60	MULTI-MEDIA SEMINAR ROOM	38	49	77.55%	0	8	0.00%
BR	SMRT	5909	40	SMART ROOM / E-PRESENTATION	47	49	95.92%	0	8	0.00%
BR	SMRT	5915	40	SMART ROOM / E-PRESENTATION	41	49	83.67%	0	8	0.00%
BR	SMRT	5919	40	SMART ROOM / E-PRESENTATION	44	49	89.80%	6	8	75.00%
WE	GYM	1	30	WELLNESS CENTRE	35	43	81.40%	0	8	0.00%

Frost Room Utilization - Winter 2013

Winter 2013 - January 7th - April 19th						Standard Post Secondary			Extended Post Secondary (Mon-Thurs)		
Building	Pavilion	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
FH	FROST	LAB	FIELD	30	Field House	6	49	12.24%	2	8	25.00%
FR	FROST	CLAB	103	35	COMPUTER LAB	42	49	85.71%	3	8	37.50%
FR	FROST	CLAB	104	35	COMPUTER LAB	38	49	77.55%	2	8	25.00%
FR	FROST	CLAS	109	36	CLASSROOM/SURV/DESKS/CHAIRS	20	49	40.82%	0	8	0.00%
FR	FROST	ELAB	132	30	ETN/Y Dedicated Space	33	49	67.35%	4	8	50.00%
FR	FROST	ELAB	134	30	FIRE SCI-moveable, sink	27	49	55.10%	2	8	25.00%
FR	FROST	ELAB	191	30	ET Dedicated Lab	41	49	83.67%	6	8	75.00%
FR	FROST	ELAB	194	30	ET Project Room	49	49	100.00%	8	8	100.00%
FR	FROST	FLAB	290	36	DENDROLOGY-fixed, sinks	27	49	55.10%	0	8	0.00%
FR	FROST	FLAB	291	48	MENS/FORESTRY/CLS-fixed, sink	26	49	53.06%	0	8	0.00%
FR	FROST	FWLB	158	40	Fish & Wildlife Lab (Wildlife)	20	49	40.82%	0	8	0.00%
FR	FROST	FWLB	159	40	Fish & Wildlife Lab (Pathology)	26	49	53.06%	0	8	0.00%
FR	FROST	GILB	332	35	GIS COMPUTER	24	49	48.98%	1	8	12.50%
FR	FROST	GILB	333	35	GIS COMPUTER	35	49	71.43%	2	8	25.00%
FR	FROST	GILB	334	35	GIS COMPUTER	34	49	69.39%	2	8	25.00%
FR	FROST	GYLB	121	30	GEOL-FIXED LAB BENCHS/STOOL (26	49	53.06%	0	8	0.00%
FR	FROST	GYLB	122	30	GEOL-FIXED BENCHES-soils-dirty	23	49	46.94%	0	8	0.00%
FR	FROST	GYLB	126	38	GEOLOGY/FIXED LAB BENCHES/ST	20	49	40.82%	0	8	0.00%
FR	FROST	LAB	190	30	CHEMISTRY	25	49	51.02%	3	8	37.50%
FR	FROST	LAB	232	30	LIMNOLOGY/FISHERIES-(max 46)	21	49	42.86%	1	8	12.50%
FR	FROST	LAB	295	30	ENTOMOLOGY/PATHOLOGY	11	49	22.45%	0	8	0.00%
FR	FROST	LAB	302	18	Outside Biodiversity Lab	3	49	6.12%	0	8	0.00%
FR	FROST	LAB2	306	70	Biodiversity Lab	41	49	83.67%	1	8	12.50%
FR	FROST	LECT	184	60	SMALL LECTURE THEATRE	28	49	57.14%	1	8	12.50%
FR	FROST	LECT	188	60	SMALL LECT THEATRE	22	49	44.90%	0	8	0.00%
FR	FROST	LECT	250	245	LARGE LECTURE THEATRE	34	49	69.39%	0	8	0.00%
FR	FROST	LECT	280	156	MEDIUM LECTURE THEATRE	35	49	71.43%	0	8	0.00%
FR	FROST	SEM	110	35	Seminar Room (sink)	28	49	57.14%	0	8	0.00%
FR	FROST	SEM	127	40	Seminar Room (sink)	32	49	65.31%	0	8	0.00%
FR	FROST	SEM	180	35	Seminar Room ECF/SWF/PWF	31	49	63.27%	0	8	0.00%
FR	FROST	SEM	185	35	Seminar Room	30	49	61.22%	1	8	12.50%
FR	FROST	SEM	189	35	Seminar Room	32	49	65.31%	0	8	0.00%
FR	FROST	SEM	209	60	Seminar Room	27	49	55.10%	1	8	12.50%

McRae Room Utilization - winter 2013

Winter 2013 - January 7th - April 19th						Standard Post Secondary			Extended Post Secondary (Mon-Thurs)		
Building	Pavilion	Room Type	Room	Capacity	Description	8am - 6pm (# of Periods Used)	8am - 6pm (Total # of Periods)	8am - 6pm (% Used)	6pm - 8pm (# of Periods Used)	6pm - 8pm (Total # of Periods)	6pm - 8pm (% Used)
MC	MCRAE	CLAB	308	25	COMPUTER LAB - Networked	39	49	79.59%	0	8	0.00%
MC	MCRAE	CLAS	303	36	CLASSROOM	24	49	48.98%	0	8	0.00%
MC	MCRAE	CLAS	306	40	CLASSROOM	20	49	40.82%	0	8	0.00%
MC	MCRAE	CLAS	307	45	CLASSROOM	30	49	61.22%	0	8	0.00%
MC	MCRAE	CLAS	310	22	CLASSROOM (being used for storage)	21	49	42.86%	0	8	0.00%
MC	MCRAE	CLAS	312	54	CLASSROOM	35	49	71.43%	0	8	0.00%
MC	MCRAE	LAB	200	20	Oil Lab	25	49	51.02%	0	8	0.00%
MC	MCRAE	LAB	202	20	GAS LAB	25	49	51.02%	0	8	0.00%
MC	MCRAE	LAB	204	22	WELDING SHOP	31	49	63.27%	11	8	137.50%
MC	MCRAE	LAB	205	10	Sustainablility Housing	0	49	0.00%	0	8	0.00%
MC	MCRAE	LAB	220	20	Masonry	2	49	4.08%	0	8	0.00%
MC	MCRAE	LCAR	205N	20	Carpentry Shop North	13	49	26.53%	0	8	0.00%
MC	MCRAE	LCAR	205S	20	Carpentry Shop South	16	49	32.65%	0	8	0.00%
MC	MCRAE	LCON	203E	20	Construction Lab East	11	49	22.45%	0	8	0.00%
MC	MCRAE	LCON	203W	20	Construction Lab West	27	49	55.10%	0	8	0.00%
MC	MCRAE	SEM	201	20	Seminar Room	7	49	14.29%	0	8	0.00%
OF	OFF	OF			Off Site Locations	56	56	100.00%	0	8	0.00%
					*Please note that I've included OFFSITE locations, however I do not know where they are. This does impact the MC usage stats, plus the time put into scheduling.						