

# **Material Safety Data Sheet**

Issuing Date 9/13/2011 Revision Date 5/2/2012 Revision Number 0

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name PHENOLPHTHALEIN INDICATOR 1%, CHLORIDE C, OR ALKALINITY RGT.

Product Code(s) 2246

Synonyms none

**Recommended Use**Test kit reagent. Industrial (not for food or food contact use). Laboratory chemicals.

**Company** LaMotte Company, Inc.

802 Washington Avenue

P.O. Box 329

Chestertown, MD 21620

USA

**Emergency Telephone Number** 24 Hour Emergency Number (CHEM-TEL):

USA, Canada, Puerto Rico 1-800-255-3924

Outside North American Continent (Call collect) 813-248-0585

## 2. HAZARDS IDENTIFICATION

#### POISON! DANGER!

## **Emergency Overview**

Flammable liquid and vapor

Harmful by inhalation, in contact with skin and if swallowed May be fatal or cause blindness if swallowed

Affects central nervous system

May cause skin and eye irritation

Appearance Clear, colorless Physical State Liquid Odor Alcohol

**Potential Health Effects** 

Principle Routes of Exposure Skin contact, Ingestion, and, Inhalation.

**Acute Toxicity** 

**Eyes** May cause irritation.

Skin Irritating to skin. Prolonged skin contact may defat the skin and produce dermatitis.

**Inhalation** May cause irritation of respiratory tract. May cause central nervous system depression with

nausea, headache, dizziness, vomiting, and incoordination.

Ingestion May cause drowsiness and dizziness. May be fatal or cause blindness if swallowed. May

cause central nervous system depression.

#### **Chronic Effects**

Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic beverage Prolonged skin contact may cause skin irritation and/or dermatitis

**Environmental Hazard** Harmful to aquatic organisms.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Phenolphthalein	77-09-8	<1
Methyl alcohol	67-56-1	3
Ethyl alcohol	64-17-5	58
Water	7732-18-5	to 100%

## 4. FIRST AID MEASURES

General Advice Do not get in eyes, on skin, or on clothing. Consult a physician.

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Consult a physician.

**Inhalation** Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial

respiration and contact emergency personnel. Call a physician immediately.

Ingestion Drink 1 or 2 glasses of water. Do not induce vomiting without medical advice. Call a

physician immediately.

Protection of First-aiders

Use personal protective equipment. Do not use mouth-to-mouth method if victim ingested

or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped

with a one-way valve or other proper respiratory medical device.

# 5. FIRE-FIGHTING MEASURES

Flammable Properties Flammable.

Flash Point 16°C (60.8°F) CC for SDA (3A) Ethyl Alcohol

Suitable Extinguishing Media Water spray, dry chemical, carbon dioxide (CO<sub>2</sub>), or foam.

**Explosion Data** 

NFPA Health Hazard 1 Flammability 3 Stability 0 Physical and Chemical

Hazards -

HMIS Health Hazard 2 Flammability 3 Stability 0

## 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Refer to Section 8. Ensure adequate ventilation. Remove all sources of ignition.

Methods for Containment Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste

container. Dispose according to federal, state, and local regulations.

**Methods for Cleaning Up**After cleaning, flush away traces with water.

## 7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practice. Prevent contact

with skin, eyes, and clothing. Do not ingest. Do not eat, drink, or smoke when using this

Page 2 / 8

product.

Storage Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep away from

heat and sources of ignition. Separate from acids. Keep away from oxidizing agents.

Keep out of the reach of children.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Phenolphthalein 77-09-8	None Known	None Known	None Known
Methyl alcohol 67-56-1	250	TWA: 200 ppm TWA: 260 mg/m³	IDLH: 6000 ppm TWA: 200 ppm TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³
Ethyl alcohol 64-17-5	TWA: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup>
Water 7732-18-5	None Known	None Known	None Known

**Personal Protective Equipment** 

**Eye/Face Protection**Safety glasses with side-shields. **Skin and Body Protection Nitrile rubber.** Gloves & Lab Coat. **Respiratory Protection**Use only with adequate ventilation.

**Hygiene Measures** Do not eat, drink or smoke when using this product.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

AppearanceClear, colorlessOdorAlcoholPhysical StateLiquidpHNot applicable

Flash Point 16°C (60.8°F) CC for SDA (3A) Boiling Point/Range 78.5°C (173.3°F) for SDA (3A)

Ethyl Alcohol Ethyl Alcohol

**Explosion Limits** 

**Upper** 19% Ethanol **Lower** 3.3% Ethanol

Vapor Pressure 48 mmHg @ 20 °C for SDA (3A) Vapor Density 1.6 @ 20 °C (Air=1) for SDA

Ethyl Alcohol (3A) Ethyl Alcohol

## 10. STABILITY AND REACTIVITY

**Stability** Stable under normal conditions of use and storage.

**Incompatible Products** Nitric acid. Strong oxidizing agents.

**Conditions to Avoid** Heat, flames and sparks.

Hazardous Decomposition Products Carbon oxides (COx).

**Hazardous Polymerization** Hazardous polymerization does not occur.

## 11. TOXICOLOGICAL INFORMATION

# **Acute Toxicity**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Phenolphthalein	None Known	None Known	None Known
Methyl alcohol	5628 mg/kg (Rat)	15800 mg/kg (Rabbit)	64000 ppm (Rat)4 h 83.2 mg/L (Rat)4 h
Ethyl alcohol	1501 mg/kg (Rat)	None Known	124.7 mg/L (Rat) 4 h
Water	90 mL/kg (Rat)	None Known	None Known

## **Chronic Toxicity**

Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic **Chronic Toxicity** 

beverage. Prolonged skin contact may cause skin irritation and/or dermatitis.

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Phenolphthalein	None Known	Group 2B	Reasonably Anticipated	X
Methyl alcohol	None Known	None Known	None Known	None Known
Ethyl alcohol	None Known	None Known	Known	None Known
Water	None Known	None Known	None Known	None Known

IARC: (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

**NTP: (National Toxicity Program)** 

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

**OSHA: (Occupational Safety & Health Administration)** 

X - Present

Published Date: 02-May-2012

Chemical Name	EU - Endocrine Disrupters Candidate List	• • •	
Phenolphthalein	Group III Chemical	None Known	None Known
Methyl alcohol	None Known	None Known	None Known
Ethyl alcohol	None Known	None Known	None Known
Water	None Known	None Known	None Known

## 12. ECOLOGICAL INFORMATION

**Ecotoxicity** 

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Phenolphthalein	None Known	None Known	None Known	None Known
Methyl alcohol	None Known	LC50 13500 - 17600 mg/L Lepomis macrochirus 96 h LC50 18 - 20 mL/L Oncorhynchus mykiss 96 h LC50 19500 - 20700 mg/L Oncorhynchus mykiss 96 h LC50= 28200 mg/L Pimephales promelas 96 h LC50> 100 mg/L Pimephales promelas 96 h		None Known
Ethyl alcohol	None Known	LC50= 12900 mg/L Oncorhynchus mykiss 96 h LC50= 14.2 mg/L Pimephales promelas 96 h	EC50 = 34634 mg/L 30 min EC50 = 35470 mg/L 5 min	EC50 = 10800 mg/L 24 h EC50 = 9268 mg/L 48 h
Water	None Known	None Known	None Known	None Known

## Persistence and Degradability

Ethanol: When released into the soil, this material is expected to leach into groundwater. When released into the soil, this material is expected to quickly evaporate. When released into water, this material may evaporate to a moderate extent. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals. When released into the air, this material is expected to be readily removed from the atmosphere by dry and wet deposition. When released into the air, this material is expected to have a half-life between 1 and 10 days.

Chemical Name	Log Pow
Phenolphthalein	None Known
Methyl alcohol	= -0.77
Ethyl alcohol	= -0.32
Water	None Known

## 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method** 

Dispose of in accordance with local regulations.

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Phenolphthalein - 77-09-8	None Known	None Known	None Known	None Known
Methyl alcohol - 67-56-1	None Known	None Known	None Known	None Known
Ethyl alcohol - 64-17-5	None Known	None Known	None Known	None Known
Water - 7732-18-5	None Known	None Known	None Known	None Known

Chemical Name	California Hazardous Waste Status
Ethyl alcohol	Toxic; Ignitable

# 14. TRANSPORT INFORMATION

DOT

Proper Shipping Name ETHANOL SOLUTION (Ethyl Alcohol Solution)

Hazard Class 3 UN-No 1170 Packing Group II

**IATA** 

**UN-No** 1170

Proper Shipping Name ETHANOL SOLUTION (Ethyl Alcohol Solution)

Hazard Class 3
Packing Group ||

IMDG/IMO

Proper Shipping Name ETHANOL SOLUTION (Ethyl Alcohol Solution)

Hazard Class 3 UN-No 1170 Packing Group II

## 15. REGULATORY INFORMATION

## **International Inventories**

Component	TSCA	DSL	EINECS/ELIN CS	ENCS	IECSC	KECL	PICCS	AICS
Phenolphthalein 77-09-8 ( <1 )	Present	X	X	9-1152	X	KE-03234	Х	Х
Methyl alcohol 67-56-1 (3)	Present	X	X	(2)-201	X	KECL	Х	Х
Ethyl alcohol 64-17-5 ( 58 )	Present	Х	Х	2-202	Х	KE-13217	Х	Х
Water 7732-18-5 ( to 100% )	Present	Х	Х	ENCS	Х	KE-35400	Х	Х

## **U.S. Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Phenolphthalein	77-09-8	<1	None Known
Methyl alcohol	67-56-1	3	1.0
Ethyl alcohol	64-17-5	58	None Known
Water	7732-18-5	to 100%	None Known

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard Yes
Fire Hazard Yes
Sudden Release of Pressure Hazard No
Reactive Hazard No

#### **Clean Water Act**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phenolphthalein 77-09-8 ( <1 )	None Known	None Known	None Known	None Known
Methyl alcohol 67-56-1 (3)	None Known	None Known	None Known	None Known
Ethyl alcohol 64-17-5 ( 58 )	None Known	None Known	None Known	None Known

# PHENOLPHTHALEIN INDICATOR 1%, CHLORIDE C, OR ALKALINITY RGT.

#### Product Code(s) 2246

Water	None Known	None Known	None Known	None Known
7732-18-5 ( to 100% )				

## Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs: .

Chemical Name	CAS-No	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Phenolphthalein	77-09-8	<1	None Known	Group III	None Known	None Known
Methyl alcohol	67-56-1	3	Present	Group IV	None Known	None Known
Ethyl alcohol	64-17-5	58	None Known	None Known	None Known	None Known
Water	7732-18-5	to 100%	None Known	None Known	None Known	None Known

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Phenolphthalein	None Known	None Known
Methyl alcohol	5000 lb	None Known
Ethyl alcohol	None Known	None Known
Water	None Known	None Known

# **U.S. State Regulations**

#### **California Proposition 65**

WARNING! This product contains chemicals know to the State of California to cause cancer and birth defects or other reproductive harm Ethyl alcohol is only considered a Proposition 65 cancer hazard and developmental hazard when it is ingested as an alcoholic beverage

Chemical Name	CAS-No	California Prop. 65
Phenolphthalein	77-09-8	Carcinogen
Methyl alcohol	67-56-1	Developmental
Ethyl alcohol	64-17-5	Carcinogen
Water	7732-18-5	None Known

# U.S. State Right-to-Know Regulations

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Phenolphthalein	None Known	None Known	None Known	None Known	None Known
Methyl alcohol	X	X	X	Χ	X
Ethyl alcohol	X	X	X	None Known	X
Water	None Known	None Known	None Known	None Known	None Known

## **International Regulations**

#### Mexico - Grade

Chemical Name	Carcinogen Status	Exposure Limits
Phenolphthalein	None Known	None Known
Methyl alcohol	None Known	Mexico: TWA 200 ppm Mexico: TWA 260 mg/m³
Ethyl alcohol	None Known	Mexico: TWA= 1000 ppm Mexico: TWA= 1900 mg/m <sup>3</sup>
Water	None Known	None Known

#### Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR


Component	WHMIS Hazard Class
Phenolphthalein 77-09-8 ( <1 )	Not determined
Methyl alcohol 67-56-1 ( 3 )	1 % B2 D1B D2A D2B
Ethyl alcohol 64-17-5 ( 58 )	0.1 % B2 D2B
Water 7732-18-5 ( to 100% )	Uncontrolled product according to WHMIS classification criteria



Chemical Name	NPRI
Methyl alcohol	X

**Legend** X - Listed

## 16. OTHER INFORMATION



Prepared By Issuing Date Revision Date Revision Note Initial Release

**Disclaimer** 

Regulatory Affairs Department 9/13/2011 02-May-2012

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

**End of MSDS**