



Issuing Date 6/11/2011

Revision Number 0

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Sulfide Test Solution #2

Product Code(s) 4634

Recommended Use Laboratory chemicals. Industrial (not for food or food contact use).

Company LaMotte Company, Inc.
802 Washington Avenue
P.O. Box 329
Chestertown, MD 21620
USA

Emergency Telephone Number 24 Hour Emergency Number (CHEM-TEL):
USA, Canada, Puerto Rico 1-800-255-3924
Outside North American Continent (Call collect) 813-248-0585

2. HAZARDS IDENTIFICATION

DANGER! POISON!

Emergency Overview

Corrosive

Liquid and mist can cause severe burns to all body tissue

May be fatal if inhaled or swallowed

Water reactive

Appearance Clear, colorless

Physical State Liquid

Odor Slight

OSHA Regulatory Status This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). Safety information is given for exposure to the reagent as sold and considers exposure to the chemical if user has direct eye and skin contact.

Potential Health Effects

Principle Routes of Exposure Inhalation, skin contact, and ingestion

Acute Toxicity

Eyes

Corrosive to the eyes and may cause severe damage including blindness.

Skin

Corrosive. Can cause redness, pain, and severe skin burns. May discolor the skin.

Inhalation

Harmful if absorbed through skin.

Poison - may be fatal if inhaled. Inhalation of corrosive mist may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate.

Ingestion

Corrosive. Causes burns. May be fatal if swallowed. Can cause immediate pain and burning in the mouth, throat, esophagus and GI tract. May cause nausea, vomiting, and diarrhea, and in severe cases death.

Chronic Effects

Chronic exposure to corrosive mists or vapors may cause erosion of the teeth

Aggravated Medical Conditions

Hypersensitivity may occur in those with preexisting skin disorders. Respiratory disorders. Preexisting eye disorders.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No	Weight %
Water	7732-18-5	to 100%
Sulfuric acid	7664-93-9	65

4. FIRST AID MEASURES

General Advice	Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray.
Eye Contact	Immediately flush eyes with gentle stream of water for at least 15 minutes, occasionally lifting upper and lower eyelids. Call a physician immediately.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes while removing all contaminated clothing and shoes. Excess acid on skin can be neutralized with a 2% solution of sodium bicarbonate in water. Call a physician immediately.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and contact emergency personnel. Call a physician immediately.
Ingestion	DO NOT INDUCE VOMITING. Drink plenty of water. Clean mouth with water. Call a physician immediately. Never give anything by mouth to an unconscious person.
Protection of First-aiders	Use personal protective equipment. See Section 8 for more detail. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

5. FIRE-FIGHTING MEASURES

Flammable Properties	Not combustible, but a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition.			
Flash Point	Not applicable			
Suitable Extinguishing Media	Dry chemical, CO ₂ , or alcohol-resistant foam. Water reactive - Do not use water.			
Explosion Data				
Specific Hazards Arising from the Chemical				
Contact with most metals causes the formation of explosive and flammable hydrogen gas. React vigorously with water.				
NFPA	Health Hazard 3	Flammability 0	Stability 0	Physical and Chemical Hazards W
HMIS	Health Hazard 4	Flammability 0	Stability 2	

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Ensure adequate ventilation. Avoid contact with skin, eyes and inhalation of vapors. Use personal protective equipment. Refer to Section 8.
Methods for Cleaning Up	Neutralize spill with alkaline material (sodium bicarbonate), being careful to prevent splattering, then containerize slurry and hold for later disposal. If local regulations permit, dilute slurry with water and rinse to drain with excess water. After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Handling Handle in accordance with good industrial hygiene and safety practice. Prevent contact with skin, eyes, and clothing. Do not ingest. Do not eat, drink, or smoke when using this product.

Storage Keep containers tightly closed in a dry, cool, and well-ventilated place. Keep away from incompatible materials such as cyanides or sulfides. Store away from strong bases or metals. Do not store near combustible materials. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Water 7732-18-5	None Known	None Known	None Known
Sulfuric acid 7664-93-9	TWA: 0.2 mg/m ³	TWA: 1 mg/m ³	IDLH: 15 mg/m ³ TWA: 1 mg/m ³

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection

Safety glasses with side-shields.

Skin and Body Protection

Wear protective gloves/clothing. Gloves & Lab Coat. Repeated or prolonged contact: Impervious clothing. Face shield. Apron.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Clear, colorless	Odor	Slight
Physical State	Liquid	pH	<1
Flash Point	Not applicable	Boiling Point/Range	ca. 290°C (ca. 554°F) (decomposes at 340°C)

Specific Gravity	~1.40	Vapor Pressure	1 @ 145.8°C (295°F)
Vapor Density	3.18 (Air = 1)		

10. STABILITY AND REACTIVITY

Stability Stable under normal conditions of use and storage.

Incompatible Products Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides.

Conditions to Avoid Excessive heat. Incompatible products. Direct sunlight.

Hazardous Decomposition Products Hydrogen gas. Sulfur oxides (SO_x).

Hazardous Reactions Reacts violently with water. Contact with metals may evolve flammable hydrogen gas. Substance is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Contact with oxidizable substances may cause extremely violent combustion.

Hazardous Polymerization

Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION**Acute Toxicity**

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	90 mL/kg (Rat)	None Known	None Known
Sulfuric acid	2140 mg/kg (Rat)	None Known	510 mg/m ³ (Rat) 2 h

Chronic Toxicity**Chronic Toxicity**

Chronic exposure to corrosive mists or vapors may cause erosion of the teeth.

Carcinogenicity

IARC has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to mists containing sulfuric acid and not to sulfuric acid or sulfuric acid solutions.

Chemical Name	ACGIH	IARC	NTP	OSHA
Water	None Known	None Known	None Known	None Known
Sulfuric acid	A2	Group 1	Known	X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X - Present

Chemical Name	EU - Endocrine Disruptors Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Water	None Known	None Known	None Known
Sulfuric acid	None Known	None Known	None Known

12. ECOLOGICAL INFORMATION**Ecotoxicity**

The material may be toxic to aquatic life.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Microtox	Daphnia Magna (Water Flea)
Water	None Known	None Known	None Known	None Known
Sulfuric acid	None Known	LC50> 500 mg/L Brachydanio rerio 96 h	None Known	EC50 = 29 mg/L 24 h

Bioaccumulation/Accumulation

When released into the soil, this material may leach into ground water. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet or dry deposition.

Chemical Name	Log Pow
Water	None Known
Sulfuric acid	None Known

13. DISPOSAL CONSIDERATIONS**Waste Disposal Method**

Dispose according to federal, state, and local regulations. If permitted, neutralize reagent with sodium bicarbonate/sodium carbonate, add slurry to large volume of water to dilute, rinse to drain with excess water.

Chemical Name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Water - 7732-18-5	None Known	None Known	None Known	None Known
Sulfuric acid - 7664-93-9	None Known	None Known	None Known	None Known

14. TRANSPORT INFORMATION**DOT**

Proper Shipping Name SULFURIC ACID WITH > 51% ACID
Hazard Class 8
UN-No 1830
Packing Group II
Reportable Quantity (RQ) 1000

IATA

UN-No 1830
Proper Shipping Name SULPHURIC ACID WITH >51% ACID
Hazard Class 8
Packing Group II

IMDG/IMO

Proper Shipping Name SULPHURIC ACID WITH >51% ACID
Hazard Class 8
UN-No 1830
Packing Group II

15. REGULATORY INFORMATION

International Inventories

Component	TSCA	DSL	EINECS/ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Water 7732-18-5 (to 100%)	Present	X	X	ENCS	X	KE-35400	X	X
Sulfuric acid 7664-93-9 (65)	Present	X	X	1-430; 1-724	X	KE-32570	X	X

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Water	7732-18-5	to 100%	None Known
Sulfuric acid	7664-93-9	65	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	Yes
Fire Hazard	No
Sudden Release of Pressure Hazard	No
Reactive Hazard	Yes

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Component	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Water 7732-18-5 (to 100%)	None Known	None Known	None Known	None Known
Sulfuric acid 7664-93-9 (65)	1000 lb	None Known	None Known	X

Chemical Name	CAS-No	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Water	7732-18-5	to 100%	None Known	None Known	None Known	None Known
Sulfuric acid	7664-93-9	65	None Known	None Known	None Known	None Known

CERCLA

Chemical Name	Hazardous Substances RQs	Extremely Hazardous Substances RQs
Water	None Known	None Known
Sulfuric acid	1000 lb	1000 lb

U.S. State Regulations**California Proposition 65**

Warning! California Proposition 65 has classified "strong inorganic acid mists containing sulfuric acid" as a chemical known to the State of California to cause cancer. This classification applies only to "mists" containing sulfuric acid and not to sulfuric acid or sulfuric acid solutions, as is this solution.

Chemical Name	CAS-No	California Prop. 65
---------------	--------	---------------------

Water	7732-18-5	None Known
Sulfuric acid	7664-93-9	Carcinogen

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Water	None Known	None Known	None Known	None Known	None Known
Sulfuric acid	X	X	X	X	X

International Regulations

Mexico - Grade

Chemical Name	Carcinogen Status	Exposure Limits
Water	None Known	None Known
Sulfuric acid	A2	Mexico: TWA= 1 mg/m ³

Canada




This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

Component	WHMIS Hazard Class
Water 7732-18-5 (to 100%)	Uncontrolled product according to WHMIS classification criteria
Sulfuric acid 7664-93-9 (65)	1 % D1A E



Chemical Name	NPRI
Sulfuric acid	X

16. OTHER INFORMATION

NFPA	HMIS	PPE	Transport Symbol						
 	<table><tr><td>Health Hazard</td><td>3</td></tr><tr><td>Fire Hazard</td><td>0</td></tr><tr><td>Reactivity</td><td>2</td></tr></table>	Health Hazard	3	Fire Hazard	0	Reactivity	2		
Health Hazard	3								
Fire Hazard	0								
Reactivity	2								

Prepared By Regulatory Affairs Department

Issuing Date 6/11/2011

Revision Date 14-Jun-2011

Revision Note

Initial Release

Disclaimer

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS